

# NOTICE INVITING e- TENDER



Signature of authorised  
Deptt. Officer

"Designing, Manufacturing, Supplying, placing, fixing in position and making functional Factory-made Customized Furniture at specified locations in Ground, 1<sup>st</sup> and 2<sup>nd</sup> at ED Office, NBCC Square, New Town, Kolkata."

|                                                                                   |                                                                                                  |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
|  | भारत सरकार / GOVERNMENT OF INDIA                                                                 |
|                                                                                   | प्रवर्तन निदेशालय/DIRECTORATE OF ENFORCEMENT                                                     |
|                                                                                   | संयुक्त निदेशक का कार्यालय, ज़ोन-I                                                               |
|                                                                                   | OFFICE OF THE JOINT DIRECTOR, ZONE- I                                                            |
|                                                                                   | सी.जी.ओ. कॉम्प्लेक्स, तृतीय एम.एस.ओ. भवन,                                                        |
|                                                                                   | छठा तल, डी एफ. ब्लॉक, साल्टलेक, कोलकाता - 700064                                                 |
|                                                                                   | CGO Complex, 3 <sup>rd</sup> MSO Building,                                                       |
|                                                                                   | 6 <sup>th</sup> Floor, DF Block, Salt Lake, Kolkata, 700 064                                     |
|                                                                                   | Phone- 033-23218161 E-mail: <a href="mailto:admn.kol-enforce@gov.in">admn.kol-enforce@gov.in</a> |

F.No.:D-4/01/KOL/2026/ 661

Date: 03.03.2026

### NOTICE INVITING e-TENDER (NIT)

1.0 Directorate of Enforcement, Kolkata, invites item rate open e-tender in two bid system on GeM Portal from experienced and eligible Contractors as per qualifying criteria mentioned in the Notice Inviting Tender for **"Designing, Manufacturing, Supplying, Placing, Fixing in position and making functional Factory-made Customized Furniture at specified locations on the Ground, 1<sup>st</sup> and 2<sup>nd</sup> Floor, Directorate of Enforcement, Kolkata, NBCC Square, New Town, Kolkata."** as per schedule as under:

|                                                  |                                                                                                                                                                                                                                                                                                                                 |
|--------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tendering Document No.                           | D-4/01/KOL/2026                                                                                                                                                                                                                                                                                                                 |
| Name of the Work                                 | Designing, Manufacturing, Supplying, Placing, fixing in position and making functional Factory-made Customized Furniture at specified locations on the Ground, 1 <sup>st</sup> and 2 <sup>nd</sup> Floors, Directorate of Enforcement, NBCC Square, New Town, Kolkata                                                           |
| Brief Scope of Work                              | Designing, Manufacturing, Supplying, Placing, fixing in position and making functional Factory-made Customized Furniture at specified locations on the Ground, 1 <sup>st</sup> and 2 <sup>nd</sup> Floors, Directorate of Enforcement Office, NBCC Square, New Town, Kolkata.as per BOQ and Scope of work enclosed at Annex -A. |
| Estimated Cost                                   | Rs. 4,94,00,000/- (Rupees Four Crores ninety-four lakhs only) inclusive of GST.                                                                                                                                                                                                                                                 |
| Period for completion                            | 45 Days                                                                                                                                                                                                                                                                                                                         |
| Earnest Money Deposit [EMD] (5%) as per GFR 2017 | Rs. 24,70,000/- (Rupees Twenty-four Lakhs Seventy thousand only) in the form of Demand Draft in favour of <b>"Chief Enforcement Officer, ED, Kolkata"</b> (in case of MSME, EMD is exempted upon submission of Latest MSME registration Certificate in appropriate category).                                                   |

Signature of Contractor

Page 2 of 65

Signature of authorized



"Designing, Manufacturing, Supplying, placing, fixing in position and making functional Factory-made Customized Furniture at specified locations in Ground, 1<sup>st</sup> and 2<sup>nd</sup> at ED Office, NBCC Square, New Town, Kolkata."

|                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                    | <p>Bank Details of Chief Enforcement Officer, ED, Kolkata are provided herewith for the purpose of preparation of Bank Guarantee only:<br/> Name of Beneficiary: Chief Enforcement Officer, ED, Kolkata.<br/> Bank: Indian Bank, Salt-Lake City, Kolkata<br/> A/C No.: <b>94547058290</b><br/> IFS Code: <b>IDIB000S147</b></p> <p><b>BG validity up to 26 months from the date of award of the contract.</b></p> |
| Last date & time of submission of Tender Documents | <p>As per GeM Portal<br/> Up to <b>24.03.2026</b> by 03.00 PM (IST)</p>                                                                                                                                                                                                                                                                                                                                           |
| Date & Time of Opening of Technical Bid            | <p><b>As per GeM Portal</b><br/> <b>24.03.2026</b> at 03.30 PM</p>                                                                                                                                                                                                                                                                                                                                                |
| Pre-Tender Meeting & Venue                         | Not Applicable                                                                                                                                                                                                                                                                                                                                                                                                    |
| Date & Time of Opening of Financial Bid            | Date and time of opening Financial Bid in respect of the bidders who qualify in the Technical Bid on GeM portal will be intimated later.                                                                                                                                                                                                                                                                          |
| Validity of offer                                  | <b>90</b> (ninety) days from the date of opening of tender.                                                                                                                                                                                                                                                                                                                                                       |

This Tender Document is being floated on GeM Portal, CPPP and Departmental website. **"Corrigendum, if any, will appear only on the GeM Portal and will not be published in any CPPP, Departmental Website, Newspaper etc."**

## 2.0 MINIMUM ELIGIBILITY CRITERIA:

The interested bidders should meet the following minimum qualifying criteria:

### A. Work Experience:

- i) Experience of having successfully completed similar works during the last 7 years ending initial stipulated last date of submission of tenders as per NIT:
  - a. Three similar works each costing not less than 40% of the estimated cost put to tender.
  - OR
  - b. Two similar works each costing not less than 50% of the estimated cost put to tender.
  - OR
  - c. One similar work costing not less than 80% of the estimated cost put to tender.

Signature of Contractor

Page 3 of 65

Signature of authorised  
Deptt. Officer



**"Similar works"** shall mean **"Supply & installation of furniture manufactured by OEM at any Non-Residential/Institutional Building/Guest House"**.

### **ADDITIONAL QUALIFYING CRITERIA**

#### **B. Technical Strength:**

- i) The past experience in similar nature of work should be supported by certificates issued by the client's organisation. In case the work experience is of Private sector, then the completion certificate shall be supported with copies of Letter of Award and copies of Corresponding TDS Certificates. Value of work will be considered corresponding to the amount of TDS Certificates.
- ii) (a) The value of executed works, for the purpose of this clause shall also include the value of any materials (such as cement, steel, etc.), services (scaffolding, batching-plant, other machinery, etc.), which have been supplied by client / employer, free of cost / on discounted price to the contractor, and which have not been already included in the 'value of works executed' that is reflected/declared on the relevant 'experience certificate' or 'Letter of Award'. Such exclusion shall be specifically mentioned on the Letter of Award, "Experience Certificate" and the 'value of free supplies' shall be separately certified by the employer, or in cases where the employer is a private entity, by (a) practicing Cost / Chartered Accountant (holding valid certificate of practice). However, work executed as labour contract shall not be considered.  
  
(b) The value of executed works shall be brought to the current level by enhancing the actual value of work done at a simple rate of 7% per annum, calculated from the date of completion to previous day of initial stipulated last date of submission of tenders.
- iii) Joint-venture, consortia of firms / companies and foreign bidders are not eligible to quote for this tender.
- iv) Original Equipment Manufacturer (OEM's) or its brand should have own local office and service centre in West Bengal.
- v) The bidder, if not an OEM, shall submit proof of association with the OEM of required qualification / certification, from which he shall procure furniture & valid authorization from the OEM along with an undertaking from the OEM on non-judicial stamp paper of Rs.100/-, duly attested by notary that the OEM shall be responsible for the quality of supplied furniture.
- vi. The bidder and OEM should submit declaration of non-debarment or non blacklisting by any Govt., semi-government, quasi-Government or any Govt.

Signature of Contractor

Page 4 of 65

Signature of authorised  
Deptt. Officer



"Designing, Manufacturing, Supplying, placing, fixing in position and making functional Factory-made Customized Furniture at specified locations in Ground, 1<sup>st</sup> and 2<sup>nd</sup> at ED Office, NBCC Square, New Town, Kolkata."

undertaking. (Declaration through affidavit on-non-judicial stamp paper of Rs.100/- duly attested by Notary).

vii. Bidder to submit the certified copy of the following OEM certificates:

- A. **ISO 9001:2015** confirming to :  
Design & Manufacture of Furniture/Modular Furniture.
- B. **ISO 45001:2018** conforming to :  
Design & Manufacture of Furniture/Modular Furniture.
- C. **ISO 14001:2015** conforming to :  
Design & Manufacture of Furniture/Modular Furniture.
- D. **ISO 50001:2018** conforming to :  
Design & Manufacture of Furniture/Modular Furniture.

***(All ISO certificates must be from NABCB (National Accreditation Board for Certification Bodies) recognized accreditation body, IGBC (Indian Green Building Council) Gold or Platinum, BIFMA (Business and Institutional Furniture Manufacturers Association) Membership & Certificate of Zero waste to landfill approved by CII or IGBC Gold Rated factory certification.***

- viii. At least 5% of products of OEM offered brand in the BOQ should be certified as BIFMA Compliant, and 5% products offered in the BOQ should be BIFMA Level 2 certified as per [www.bifma.org](http://www.bifma.org). Screen shot confirmation of the same from the websites viz., <https://compliant.bifma.org/> and <https://level.bifma.org/?level-certificate.kind=2> respectively is required to be attached along with the technical bid.
- ix. Bidder should submit compliant issued by Indian Design Council - Design Excellence Certification: India Design Mark signifies excellence in form, function, quality, safety, sustainability, and innovation and communicates that the product is usable, durable, aesthetically appealing, and socially responsible. At least Three Furniture items of the OEM brand shall be certified as Indian Design Mark compliant. Relevant document in the form of official certificate / official link/screenshot of the product listed on website showing this compliance is to be uploaded by bidder.
- x. Bidders shall submit valid GRIHA 2015 or 2019 certification of their OEM. The certification should confirm compliance with sustainable developmental practices in the manufacturing process. At least 10(ten) furniture items of the OEM brand shall be certified as per GRIHA v.2015/20019.

Signature of Contractor

Page 5 of 65

Signature of authorised  
Deptt. Officer



- xi. Bidder to submit OEM certification of **Indoor Advantage Gold Certification Standard** (M7.1/X7.1-2011 R2021) or **Green Guard Gold Certification** for their brand. This certification assesses and certifies products for their low volatile organic compound (VOC) emissions, contributing to better indoor air quality.
- xii. The OEM / Bidder must submit the details of its offer accompanied by copies of Technical Data sheet and Catalogue having photograph(s) of the offered items along with model name / numbers.
- xiii. Bidder must submit copy of Factory License of OEM, Income tax Return of the last 5(five) financial years, Professional Tax Registration along with the updated challan and clearance certificate and Certificate of Registration with EPF and ESI and OEM's list of tools and machinery, duly certified by any competent authority.
- xiv. The bidder should submit declaration from OEM confirming to more than 50% of local content as per Make in India Norm for Class I local supplier (Declaration through Affidavit on-non-judicial stamp paper of 100/- duly attested by Notary.).
- xv. The bidder/OEM should submit BIS license/registration of the products offered as per the BOQ, wherever applicable.
- xvi. **Factory and equipment:** The OEM shall have a factory of his own for manufacturing the furniture and the factory shall contain at least 50% out of the following 16 machinery mentioned below. The bidder should produce a certificate on the OEM letterhead conforming to the list of machinery possessed by him.
- Beam saw for panel cutting.
  - Through feed edge bander with PUR glue pot and pre milling option.
  - CNC machining center with horizontal, vertical drilling and grooving options.
  - Curvilinear edge bander for edge banding curved edges.
  - Calibrating sanding machine.
  - Hot press for pressing laminate to raw board of minimum size 4 ft. x 8 ft
  - Solid wood thickener.
  - Wood turning lathe.
  - Spray booth.
  - Bent ply press with moulds.
  - Upholstery setup.
  - Pneumatic milling Machine.

Signature of Contractor

Page 6 of 65

Signature of authorised  
Deptt. Officer



"Designing, Manufacturing, Supplying, placing, fixing in position and making functional Factory-made Customized Furniture at specified locations in Ground, 1<sup>st</sup> and 2<sup>nd</sup> at ED Office, NBCC Square, New Town, Kolkata."

- Compressor Machining Center.
- Precision Panel Bending Machine.
- Laser cutting machine.
- MIG welding machine.

The Furniture Tender Committee reserves the right to independently verify the actual list of machines in possession of the OEM. Additional documents may be demanded by the Furniture Tender Committee for the purpose of the said verification. The OEM shall have to furnish the desired details as demanded.

xvii. **Preference to PPP-MII Policy** (Make in India):

- a. The Government has issued **Revised Public Procurement Policy** (Preference to Make in India) vide Ministry of Commerce and Industry, Department for Promotion of Industry and Internal Trade (Public Procurement Section) order no. P- 45021/2/2017-PP BE-II-Part(4) Vol.II dated 19.07.2024.
- b. The bidder shall submit list of makes of materials proposed to be used on the work from local suppliers (as defined in the above Order) along with minimum local content as specified below for approval of the department out of the approved makes kept in the tender.
- c. The department will be approving only makes of the materials having a minimum local content of 50% for use on this work, out of the preferred makes list.
- d. The minimum local content of 50% is considered for the complete item including labour component.
- e. The Bidder is required to upload the Minimum Local Content declaration certificate.

**C. Financial Strength:**

- i) The average Annual Audited Financial Turnover (after enhancement) for last 3 years shall be 400% of the estimated cost put to tender for OEM and 40% for "Bidder" if not OEM. The requisite Turnover shall be duly certified by a Chartered Accountant with his seal, signature and registration number.

In case the preceding financial year is unaudited, then the turnover shall be certified by Chartered Accountant for the 3(three) Financial Years immediately preceding the previous Financial Year and the same shall be considered for evaluation.

Signature of Contractor

Page 7 of 65

Signature of authorised  
Deptt. Officer



In case of Companies / Firms less than 3 years old, the Average Annual Financial Turnover shall be worked out for the available period only.

The value of annual turnover figures shall be brought to the current value (i.e. preceding Financial Year) by enhancing the actual turnover figures at simple rate of 7% per annum.

**Note:**

**Illustration 1:** Suppose, Last Date of Bid submission is 21.05.2023 with **unaudited balance sheet of last financial year**. Relevant year of turnover shall be 2021-22, 2020-21, 2019-20. Figures of turnover of 2021 - 22 shall be enhanced by 7%. Figures of turnover of 2020-21 shall be enhanced by 14%. Figures of turnover of 2019-20 shall be enhanced by 21%.

**Illustration 2:** Suppose, Last Date of Bid submission is 21.05.2023 with **audited balance sheet of last financial year available**. Relevant year of turnover shall be 2022-23, 2021-22, 2020-21. Figures of turnover of 2022- 23 shall not be enhanced. Figures of turnover of 2021-22 shall be enhanced by 7%. Figures of turnover of 2020-21 shall be enhanced by 14%.

- ii) Audited Net Worth of the O.E.M. as well as the bidder as on last day of preceding (or last audited) financial year should be minimum 10% of the Estimated Cost put to Tender, duly certified by Chartered Accountant.
- iii) The Bidder should have earned profit after taking into account taxes, future liabilities in the last three consecutive balance sheets.

The bidders are required to upload and submit page of summarised Balance Sheet (Audited) and also page of summarised Profit & Loss Account (Audited) for last three years.

**D. Other Terms and conditions:**

**a. Site Visit :**

- i. Bidders are advised to visit and assess the site before bidding. Further, all site visits shall be undertaken with prior intimation to the organization including information relating to the person(s) who are nominated by the OEM / firm to visit the site. Further, the site visit shall be undertaken under the supervision of a nominated officer of Directorate of Enforcement, Kolkata office. A copy of the intimation letter as submitted by the OEM / firm and containing the remarks by an authorised official of this office, that a nominee of the OEM / firm had visited the site before submission of bid, has to be uploaded on GeM along with other documents.

Signature of Contractor

Page 8 of 65

Signature of authorised  
Deptt. Officer



- ii. The site visit will provide bidders with a better understanding of the project requirements, room sizes for designing the furniture setup, and the expected quality and style of the furniture to be supplied.
- iii. The site visit shall also enable the bidder to understand the requirement of electrical connections to be connected to the furniture and the current status of site.

**b. Bidders are Requested to study the Detailed Specification:**

- i. Bidders are advised to thoroughly study the detailed specification of the furniture, which have been uploaded in the bid document before quoting their rates. Copy of the layout may be inspected at this office before undertaking site visit.
- c. Even though an applicant may satisfy the above requirements, he would be liable to disqualification if he has made misleading or false representation or deliberately suppressed the information in the forms, statements and enclosures required in the technical bid document.
- d. The lowest bid will be determined based on the technically compliant / acceptable offer with the lowest total cost, including applicable taxes and GST.
- e. The bidder shall also be required to upload all other relevant documents as specified in the GEM Bid Document.
- f. The dimensions given in the technical / product specification of all the furniture items are to be considered carefully by the bidders. **A tolerance of plus/minus 5%** is permissible in all dimensions mentioned in the specifications including dimensions of understructure, finishing items, laminates, top surfaces, final sizes of furniture items etc.

**3.0** The intending bidders must read the terms and conditions of Directorate of Enforcement, Kolkata carefully. The tenderer may submit his tender if he considers himself eligible and he is in possession of all the required documents. Information and Instructions for Tenderers posted on Website(s) shall form part of Tender Document.

**4.0 Set of Contract / Tender Documents :**

The following documents shall constitute set of tender documents:

- a) Notice Inviting e-Tender.

Signature of Contractor

Page 9 of 65

Signature of authorised  
Deptt. Officer



*"Designing, Manufacturing, Supplying, placing, fixing in position and making functional Factory-made Customized Furniture at specified locations in Ground, 1<sup>st</sup> and 2<sup>nd</sup> at ED Office, NBCC Square, New Town, Kolkata."*

- b) Quoting Sheet for Tenderer.
  - c) Bill of Quantities (BOQ).
  - d) Acceptance of Tender Conditions (Annexure-3).
  - e) Addendum/Corrigendum, if any, duly signed by authorized person.
- 5.0 The tenderers are required to quote strictly as per terms and conditions, specifications, standards and Detailed Technical Specifications given in the tender document and not to stipulate any deviations. The Bank Guarantee for EMD submitted by the bidders shall be strictly in the format prescribed in NIT. In case, EMD is not found verbatim in the prescribed format, the bid will be liable for rejection.
- 6.0 Contractor is required to upload scanned copies of all the documents including valid GST registration / EPF registration / PAN No. as stipulated in the tender document.
- 7.0 Notwithstanding anything stated above, the Directorate of Enforcement, Kolkata reserves the right to assess the capabilities and capacity of the tenderer to perform the contract, in the overall interest of the Directorate. In case, tenderer's capabilities and capacities are not found satisfactory, Directorate of Enforcement, Kolkata reserves the right to reject the tenderer.
- 8.0 **Certificate of Financial Turnover**: At the time of submission of tender, the tenderer shall upload Affidavit / Certificate from a Chartered Accountant mentioning Audited Financial Turnover for the last 3 financial years. There is no need to upload entire voluminous balance sheet. **One page of summarised Balance Sheet (Audited) and one page of summarised Profit & Loss Account (Audited) for last 03 years shall be uploaded.**
- 9.0 The bidders if required, may submit queries, if any, through GeM portal and e-mail to the tender inviting authority to seek clarifications **as per deadlines mentioned in GeM Portal.**

The tender inviting authority will reply only to those queries which are essentially required for submission of bids. The tender inviting authority will not reply to the queries which are not considered fit for reply, like replies of which can be implied / found in the NIT / Tender Documents or which are not relevant or in contravention to NIT / Tender Documents, request for extension of time for opening of technical bids, etc. Technical Bids will be opened on the scheduled date. Requests for extension of date for opening of Technical Bids will not be entertained.

Signature of Contractor

Page 10 of 65

Signature of authorised  
Deptt. Officer



**10.0 Integrity Pact** form (Annexure-II) shall be duly signed by the bidders and uploaded. Any tender submitted without the signed Integrity Pact shall be liable for rejection.

**10.0 List of Documents to be scanned and uploaded on e-tender website within the period of tender submission** (The bidders are required to sign on the Annexures, put rubber stamp/seal and upload the signed copy on GeM).

- a) Bank Guarantee of any Nationalised or Commercial Scheduled Bank against the EMD as per NIT (if EMD is submitted in form of BG).
- b) Affidavit duly notarized by Notary Public on Non Judicial Stamp Paper of Rs. 100/- for correctness of all the Documents / Information to uploaded by the bidders.
- c) Unconditional Letter of Acceptance of Tender Conditions (in original) (Annexure-III) (Duly printed and signed on the Letter Head of the Bidder).
- d) Integrity Pact duly signed by the bidders. (Annexure-II)
- e) Schedule of Physical Milestones.
- f) Details of Work Experience Certificates
- g) Financial Details as per NIT.
- h) Documents regarding Net Worth of the Company Firm.
- i) Power of Attorney/ Board Resolution of the person authorised for signing/ submitting the tender.
- j) Valid GST registration/ EPF registration/ PAN NO.
- k) All pages of the entire Corrigendum (if any) duly signed by the authorized person.
- l) Pre-bid clarifications, if any.
- m) Registration Details of the bidders under the GST Act.
- n) Self-certified copies of OEM Certificates to be uploaded by bidders.

**NOTE:**

1. In case of non-submission of EMD (if submitted in form of Bank Guarantee), the bid shall be rejected summarily without seeking any further clarification.

Signature of Contractor

Page 11 of 65

Signature of authorised  
Deptt. Office



2. The bidders are advised to upload complete details with their bids as Technical Bid Evaluation will be done on the basis of documents uploaded on the website by the bidders with the bids. Please note, no fresh document other than in the form of clarification in respect of an existing document shall be accepted after last date of submission of bids.
3. The information should be submitted in the prescribed proforma. Bids with incomplete /ambiguous information are liable to be rejected.
4. All the uploaded documents should be in readable, printable and legible form, failing which the bid will be liable for rejection.
- 13.0 All the uploaded documents shall be considered as duly signed by bidder / authorized representative.
- 14.0 Directorate of Enforcement, Kolkata reserves the right to reject any or all tenders or cancel / withdraw the invitation for bid without assigning any reasons whatsoever thereof.
- 15.0 Canvassing in connection with the tender is strictly prohibited and such canvassed tenders submitted by the bidders will be rejected and his earnest money shall be absolutely forfeited.
- 16.0 In case of assistance / problem / enquiry in uploading documents, Helpdesk Tel. Nos. are available on the GeM Portal.
- 17.0 In case of Site related queries or any other queries related to this NIT, please contact **Shri Debaprasad Das, Superintendent, Phone no.- 89027723012** and **Shri Soham Ghosh, UDC, Phone no.- 9830071639**, Directorate of Enforcement, Kolkata during office hours on official working days.

Signature of Contractor

Page 12 of 65

Signature of authorised  
Deptt. Officer



"Designing, Manufacturing, Supplying, placing, fixing in position and making functional Factory-made Customized Furniture at specified locations in Ground, 1<sup>st</sup> and 2<sup>nd</sup> at ED Office, NBCC Square, New Town, Kolkata."

## Annexure-I

### MEMORANDUM

| Sl. | Description                                          | Values/ Description to be Applicable for Relevant Clause(s)                                                                                                                                                                                                                |
|-----|------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1)  | Name of Work                                         | Designing, Manufacturing, Supplying, placing, fixing in position and making functional Factory-made Customized Furniture at specified locations in Ground, 1 <sup>st</sup> and 2 <sup>nd</sup> Floors, ED Office, NBCC Square, New Town, Kolkata                           |
| 2)  | Client/Owner                                         | Directorate of Enforcement, Kolkata                                                                                                                                                                                                                                        |
| 3)  | Type of Tender                                       | Single percentage rate open e-tender                                                                                                                                                                                                                                       |
| 4)  | Earnest Money Deposit                                | <b>Rs. 24,70,000/-</b> (Rupees Twenty-four Lakhs Seventy thousand only) in the form of Demand Draft in favour of Chief Enforcement Officer, ED, Kolkata (in case of MSME, EMD is exempted upon submission of Latest MSME Registration Certificate in appropriate category) |
| 5)  | Estimated Cost                                       | <b>Rs. 4,94,00,000/-</b> (Rupees Four Crores Ninety-four Lakhs only) inclusive of GST.                                                                                                                                                                                     |
| 6)  | Time allowed for Completion of Work                  | <b>45 (forty-five) days</b>                                                                                                                                                                                                                                                |
| 7)  | Mobilization Advance                                 | Not Applicable                                                                                                                                                                                                                                                             |
| 8)  | Interest Rate on Mobilization and /or other Advances | Not Applicable                                                                                                                                                                                                                                                             |
| 9)  | Schedule of Rates applicable                         | Not Applicable                                                                                                                                                                                                                                                             |
| 10) | Validity of Tender                                   | 90 (ninety) days from date of opening of tender.                                                                                                                                                                                                                           |
| 11) | Performance Bank Guarantee or                        | 5.00% (Five Percent Only) of the L-1 bid value within 15 days from the date of issue of Letter of Award.                                                                                                                                                                   |
| 12) | Defect Liability Period                              | <b>24 (twenty-four) months from the date of completion of installation of the furniture at project site.</b>                                                                                                                                                               |
| 13) | Applicability of GST rates                           | As per Govt. Guidelines                                                                                                                                                                                                                                                    |

Signature of Contractor

Page 13 of 65

Signature of authorised  
Deptt. Officer



## ANNEXURE-II

### PRE CONTRACT INTEGRITY PACT

#### General

This pre-bid pre-contract Agreement (hereinafter called the Integrity Pact) is made on \_\_\_\_\_ day of the month of \_\_\_\_\_ 2026, between, on one hand, Directorate of Enforcement, Kolkata (buyer) which expression shall mean and include, unless the context otherwise requires, his successors in office and assigns of the First Part and \_\_\_\_\_ (Seller) (hereinafter called the "BIDDER/Seller" which expression shall mean and include, unless the context otherwise requires, his successors and permitted assigns) of the Second Part.

WHEREAS, the BUYER proposes to procure (Designing, Manufacturing, Supplying, placing, fixing in position and making functional Factory-made Customized Furniture at specified locations in Ground, 1<sup>st</sup> and 2<sup>nd</sup> Floors, Directorate of Enforcement Office, NBCC Square, New Town, Kolkata vide tender number: \_\_\_\_\_ dated: \_\_\_\_\_) and the BIDDER/Seller is willing to offer / has offered the stores and WHEREAS the BIDDER is a private company / public company / Government undertaking / partnership / registered export agency, constituted in accordance with the relevant law in the matter and the BUYER is a Central Government Agency under the administrative control of Department of Revenue, Government of India.

NOW, THEREFORE, to avoid all forms of corruption by following a system that is fair, transparent and free from any influence / prejudiced dealings prior to, during and subsequent to the currency of the contract to be entered into and with a view to:-

Enabling the BUYER to obtain the desired said stores/equipment at a competitive price in conformity with the defined specifications by avoiding the high cost and the distortionary impact of corruption on public procurement, and enabling BIDDERS to abstain from bribing or indulging in any corrupt practice in order to secure the contract by providing assurance to them that their competitors will also abstain from bribing and other corrupt practices and the BUYER will commit to prevent corruption, in any form, by its officials by following transparent procedures.

The parties hereto hereby agree to enter into this Integrity Pact and agree as follows:

#### **Commitments of the BUYER**

- 1.1 The BUYER undertakes that no official of the BUYER, connected directly or indirectly with contract, will demand, take a promise for or accept, directly or through intermediaries, any bribe, consideration, gift, reward, favour or any material or immaterial benefit or any other advantage from the BIDDER, either for themselves or for any person, organization or their party related to the

Signature of Contractor

Page 14 of 65

Signature of authorised  
Deptt. Officer



contract in exchange form advantage in the bidding process, bid evaluation, contracting or implementation process related to the contract.

- 1.2 The BUYER will, during pre-contract stage, treat all BIDDERS alike, and will provide to all BIDDERS the same information and will not provide any such information to any particular BIDDER which could afford an advantage to that particular BIDDER in comparison to other BIDDERS.
- 1.3 All the officials of the BUYER will report to the appropriate Government office any attempted or completed breaches of the above commitments as well as any substantial suspicion of such a breach.
2. In case, any such preceding misconduct on the part of such official(s) is reported by the BIDDER to the BUYER with full and verifiable facts and the same is prima facie found to be correct by the BUYER, necessary disciplinary proceedings, or any other action as deemed fit, including criminal proceedings may be initiated by the BUYER and such a person shall be debarred from further dealings related to the contract process. In such a case while an enquiry is being conducted by the BUYER, the proceedings under the contract would not be stalled.

#### **Commitments of BIDDERS**

3. The BIDDER commits itself to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of its bid or during any pre-contract or post-contract stage in order to secure the contract or in furtherance to secure it and in particular commit itself to the following:-
  - 3.1 The BIDDER will not offer, directly or through intermediaries, any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the BUYER, connected directly or indirectly with the bidding process, or to any person, organization or third party related to the contract in exchange for any advantage in the bidding, evaluation, contracting and implementation of the contract.
  - 3.2 The BIDDER further undertakes that it has not given, offered or promised to give, directly or indirectly any bribe, gift, consideration, reward, favour any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the BUYER or otherwise in procuring the Contract or forbearing to do or having done any act in relation to the obtaining or execution of the contract or any other contract with the Government for showing or forbearing to show favour or disfavour to any person in relation to

Signature of Contractor

Page 15 of 65

Signature of authorized  
Deptt. Officer



the contract or any other contract with the Government.

- 3.3 BIDDERS shall disclose the name and address of agents and representatives, and Indian BIDDERS shall disclose their foreign principals or associates.
- 3.4 BIDDERS shall disclose the payments to be made by them to agents / brokers or any other intermediary, in connection with this bid / contract.
- 3.5 The BIDDER further confirms and declares to the BUYER that the BIDDER is the original manufacturer / integrator / authorized government sponsored export entity of the defense stores and has not engaged any individual or firm or company whether Indian or foreign to intercede, facilitate or in any way to recommend to the BUYER or any of its functionaries, whether officially or unofficially to the award of the contract to the BIDDER, nor has any amount been paid, promised or intended to be paid to any such individual, firm or company in respect of any such intercession, facilitation or recommendation.
- 3.6 The BIDDER, either while presenting the bid or during pre-contract negotiations or before signing the contract, shall disclose any payments he has made, is committed to or intends to make to officials of the BUYER or their family members, agents, brokers or any other intermediaries in connection with the contract and the details of services agreed upon for such payments.
- 3.7 The BIDDER will not collude with other parties interested in the contract to impair the transparency, fairness and progress of the bidding process, bid evaluation, contracting and implementation of the contract.
- 3.8 The BIDDER will not accept any advantage in exchange for any corrupt practice, unfair means and illegal activities.
- 3.9 The BIDDER shall not use improperly, for purposes of competition or personal gain, or pass on to others, any information provided by the BUYER as part of the business relationship, regarding plans, technical proposals and business details, including information contained in any electronic data carrier. The BIDDER also undertakes to exercise due and adequate care lest any such information is divulged.
- 3.10 The BIDDER commits to refrain from giving any complaint directly or through any other manner without supporting it with full and verifiable facts.
- 3.11 The BIDDER shall not instigate or cause to instigate any third person to commit any of the actions mentioned above.
- 3.12 If the BIDDER or any employee of the BIDDER or any person acting on behalf of the BIDDER, either directly or indirectly, is a relative of any of the officers of

Signature of Contractor

Page 16 of 65

Signature of authorised  
Deptt. Officer



the BUYER, or alternatively, if any relative of an officer of the BUYER has financial interest/stake in the BIDDER's firm, the same shall be disclosed by the BIDDER at the time of filing of tender.

The term 'relative' for this purpose would be as defined in Section 6 of the Companies Act 1956.

- 3.13 The BIDDER shall not lend to or borrow any money from or enter into any monetary dealings or transactions, directly or indirectly, with any employee of the BUYER.

#### **4. Previous Transgression**

- 4.1 The BIDDER declares that no previous transgression occurred in the last three years immediately before signing of this Integrity Pact, with any other company in any state / country in respect of any corrupt practices envisaged hereunder or with any Public Sector Enterprise in India or any Government Department in India that could justify the BIDDER's exclusion from the tender process.

- 4.2 The BIDDER agrees, that if it makes incorrect statement on this subject, he can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

#### **5. Earnest Money / Security Deposit.**

- 5.1 While submitting commercial bid, the BIDDER shall deposit an amount of **Rs. 24,70,000/- (Rupees Twenty-four Lakhs Seventy thousand only)** as Earnest Money/Security Deposit, with the BUYER through any of the following instruments:

- (i) Bank Draft or a Pay Order in favour of Chief Enforcement Officer, Kolkata.
- (ii) A confirmed guarantee by an Indian Commercial Bank, promising payment of the guaranteed sum to the BUYER on demand within three working days without any demur whatsoever and without seeking any reasons whatsoever. The demand for payment by the BUYER shall be treated as conclusive proof of payment.

- 5.2 The Earnest Money shall be valid upto a period of 90 days while the performance security deposit should be valid for a period covering the contractual obligations including warranty period plus 60 days.

- 5.3 In case of the successful BIDDER a clause would also be incorporated in the

Signature of Contractor

Page 17 of 65

Signature of authorised  
Deptt. Officer



Article pertaining to Performance Bond in the Purchase Contract that the provisions of Sanctions for Violation shall be applicable for forfeiture of Performance Bond in case of a decision by the BUYER to forfeit the same without assigning any reason for imposing sanction for violation of this Pact.

- 5.4 No interest shall be payable by the BUYER to the BIDDER on Earnest Money / Security Deposit for the period of its currency.

**6. Sanctions for Violations :**

- 6.1 Any breach of the aforesaid provisions by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER) shall entitle the BUYER to take all or any one of the following actions, wherever required:-

- (i) To immediately call off the pre-contract negotiations without assigning any reason or giving any compensation to the BIDDER. However, the proceedings with the other BIDDER(s) shall continue.
- (ii) The Earnest Money Deposit (in pre-contract stage) and / or Security Deposit / Performance Bond (after the contract is signed) shall stand forfeited, either fully or partially, as decided by the BUYER and the BUYER shall not be required to assign any reason thereof.
- (iii) To immediately cancel the contract, if already signed, without giving any compensation to the BIDDER.
- (iv) To recover all sums already paid by the BUYER, and in case of an Indian BIDDER with interest thereon at 2% higher than the prevailing Prime Lending Rate of State Bank of India. If any outstanding payment is due to the BIDDER from the BUYER in connection with any other contract for any other stores, such outstanding payment could also be utilized to recover the aforesaid sum and interest.
- (v) To encash the advance bank guarantee and performance bond / warranty bond, if furnished by the BIDDER, in order to recover the payments already made by the BUYER, along with interest.
- (vi) To cancel all or any other contracts with the BIDDER. The BIDDER shall be liable to pay compensation for any loss or damage to the BUYER resulting from such cancellation / rescission and the BUYER shall be entitled to deduct the amount so payable from the money(s) due to the BIDDER.
- (vii) To debar the BIDDER from participating in future bidding processes of the

Signature of Contractor

Page 18 of 65

Signature of authorised  
Deptt. Officer



Government of India for a minimum period of five years, which may be further extended at the discretion of the BUYER.

- (viii) To recover all sums paid in violation of this Pact by BIDDER(s) to any middleman or agent or broker with a view to securing the contract.
- (ix) Forfeiture of Performance Bank Guarantee in case of a decision by the BUYER to forfeit the same without assigning any reason for imposing sanction for violation of this Pact.

6.2 The BUYER will be entitled to take all or any of the actions mentioned at Para 6.1(i) to (ix) of this Pact on the commission by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER), of an offence as defined in Chapter IX of the BNS or Prevention of Corruption Act, 1988, or any other statute enacted for prevention of corruption.

6.3 The decision of the BUYER to the effect that a breach of the provisions of this Pact has been committed by the BIDDER shall be final and conclusive on the BIDDER.

#### **7. Facilitation of Investigation :**

In case of any allegation of violation of any provisions of this Pact or payment of commission, the BUYER or its agencies shall be entitled to examine all the documents including the Books of Accounts of the BIDDER and the BIDDER shall provide necessary information and documents in English and shall extend all possible help for the purpose of such examination.

#### **8. Law and Place of Jurisdiction**

This Pact is subject to Indian Law. All disputes arising out of this Contract will be subject to Kolkata jurisdiction.

#### **9. Other Legal Actions :**

The actions stipulated in this Integrity Pact are without prejudice to any other legal action that may follow in accordance with the provisions of the extant law in force relating to any civil or criminal proceedings.

#### **10. Validity :**

10.1 The validity of this Integrity Pact shall be from date of its signing and extend up to 3 years or till the complete execution of the contract to the satisfaction of both the BUYER and the Bidder / Seller, including warranty period, whichever is later. In case BIDDER is unsuccessful, this Integrity Pact shall expire after six months from the date of the signing of the contract.

Signature of Contractor

Page 19 of 65

Signature of authorised  
Deptt. Officer



"Designing, Manufacturing, Supplying, placing, fixing in position and making functional Factory-made Customized Furniture at specified locations in Ground, 1<sup>st</sup> and 2<sup>nd</sup> at ED Office, NBCC Square, New Town, Kolkata."

10.2 Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact shall remain valid. In this case, the parties will strive to come to an agreement to their original intentions.

11. The parties hereby sign this Integrity Pact at Directorate of Enforcement, Kolkata Zone – I, Kolkata on the \_\_\_\_\_ of March, 2026.

**Buyer**

Name of the Officer: \_\_\_\_\_

Designation: \_\_\_\_\_

**Bidder**

Name of the authorised signatory : \_\_\_\_\_

Designation : \_\_\_\_\_

**Witness**

1. \_\_\_\_\_

2. \_\_\_\_\_

**Witness**

1. \_\_\_\_\_

2. \_\_\_\_\_

Signature of Contractor

Page 20 of 65

Signature of authorised  
Deptt. Officer



### ANNEXURE-III

#### ACCEPTANCE OF TENDER CONDITIONS

From: (To be submitted in ORIGINAL on the letter head of the company and signed by the officer duly authorized as per the Board Resolution in respect of OEM bidder AND in respect of individual firm / partnership, the said document is required to be printed and signed on the letterhead of the firm/partnership firm by the proprietor / authorised partner.)

Sub: Name of the work & NIT No.: \_\_\_\_\_

Sir,

i) This has reference to above referred tender. I/We have read/viewed all the terms & conditions and are pleased to submit our tender for the above work and I/We hereby unconditionally accept the under conditions and tender documents in its entirety for the above work.

ii) I/We are eligible to submit the tender for the subject tender and I/We are in possession of all the documents required.

iii) Should this tender be accepted, I/We agree to abide by and fulfil all the terms and conditions referred to above and as contained in tender documents elsewhere and in default thereof, to forfeit and pay NBCC, or its successors or its authorized nominees such sums of money as are stipulated in the notice inviting tenders and tender documents.

Yours faithfully,

(Signature of the tenderer with rubber stamp)

Dated: \_\_\_\_\_

Signature of Contractor

Page 21 of 65

Signature of authorised  
Deptt. Officer



### Detailed Technical Specification

### ANNEXURE-A

| Sl. No. | Item Description    | Item Specification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Qty. |
|---------|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 1.      | 1 str Sofa (Type-1) | Providing, supplying and placing of one seater sofa. SEAT FOAM : The seat is made up of PU foam in Density $28 \pm 2$ kg/cu.mtr with an additional top layer of supersoft PU foam in Density $32 \pm 2$ kg/cu, upholstered with fabric or leatherette. BACK FOAM : The back is made up of PU foam in Density $28 \pm 2$ kg/cu. mtr with two additional top layer of supersoft foam of density $32 \pm 2$ kg/cu. mtr, upholstered with fabric or leatherette. UNDERSTRUCTURE : Understructure is made up of $1.2 \pm 0.1$ cm. thick hot pressed plywood [moisture resistance & termite proof as per IS:303] & pinewood of cross sections devoid of major knots & surface defects. 6 nos. per seat & 3.8mm Dia zigzag spring assembly is mounted over understructure for cushioning purpose. LEG ASSEMBLY : It is a welded Assembly made in Stainless steel (grade SS 202) tube & plate with plastic endcap. Width (W): 86.0 CM, Depth (D): 90.5 CM. Height (H): 85.5 CM. Seat Height (SH): 45.0 CM. | 18   |
| 2.      | 1 str sofa (Type-2) | Providing, supplying and placing of Sofa 1 Seater<br>Dimensions W x H x D (cm)-770 x 860 x 830<br>Upholstery :<br>• Material : 1) Syn Leather 2) Two Tone – Fabric + Syn Lth<br>• Shade : 1) Black 2) Coffee Brown (Fabric) + Cream (Syn Leather)<br>• Thickness : 1 mm<br>Frame :<br>• Material : Pine Wood<br>• Moisture content : 10 - 12 %<br>• Thickness of Plywood used : 12 mm & 18 mm<br>Seat Foam :<br>• Material : Slab stock<br>• Density : 32 kg/m <sup>3</sup><br>Back Foam :<br>• Material : Slab Stock<br>• Density : 28 kg/m <sup>3</sup><br>Webbing :<br>• Material : Nylon<br>• Thickness : 2 mm<br>Legs :<br>• Material : PVC with 4 mm bush                                                                                                                                                                                                                                                                                                                                    | 4    |

Signature of Contractor

Page 22 of 65

Signature of authorised  
Deptt. Officer



|    |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |    |
|----|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 3. | 1 Str Sofa<br>(Type-3) | The overall size of the chair shall be 690 width x 750 height and 580 mm depth. The seat height shall be 460mm. The understructure material of the chair shall be beachwood. The chair understructure shall have 4 legs that should be interconnected with each other. The seat & back shall be made up of in-situ moulded PU foam having seat, back & side armrests entire connected. The entire seat shell shall be upholstered with high quality polyester fabric. Wood shall be polished in desirable shade for better appearance. The manufacturer (OEM) shall have ISO 9001, ISO 14001, ISO 45001 & ISO 50001 issued from NABCB accredited agency, BIFMA Level 2, India Design Mark for Chairs & table category, Green Guard certification for Chairs, Storage & tables, IGBC Gold rated factory certification, AIOTA certification. The Wood used shall be from sourced from sustainable source hence FSC certificate of OEM or his supplier to be submitted. | 3  |
| 4. | 1 str sofa<br>(Type-4) | Providing, supplying and placing of 1 Seater Sofa<br>Overall Size:<br>Width: 92cm<br>Depth: 87cm<br>Height: 76cm<br>Seating Height: 39.5cm<br>STITCHING: THREAD: Poly Proplin.<br>LEATHER/PVC/FABRIC: PVC. Thickness (mm) : 0.9 Weight (GSM) : 575                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 60 |
| 5. | 1 Str Sofa<br>(Type-5) | Providing, supplying and placing of Sofa<br>Dimensions W x H x D (cm)-81 x 83.5 x 80<br>Upholstery• Material : Syn Leather<br>•Shade: Crush Brown<br>•Thickness: 1 mm<br>Frame :•Material : Pine Wood<br>•Moisture content : 1012 %<br>•Thickness of Plywood used : 12 mm & 18 mm Seat Foam :<br>•Material : Slab stock<br>•Density : 32 kg/m3 at seat<br>Back Foam :<br>•Material : Slab stock<br>•Density : 28 kg/m3 at seat<br>Webbing :<br>•Material : Nylon<br>Legs :•Material : PVC                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 15 |
| 6. | 1 str sofa<br>(Type-6) | Supply of 3-Seater Sofa as per the following specification. Overall Dimension: 1140W x 990D x 965H mm. Material: Syn. Leather. Frame Material: Pine Wood, Moisture Content: 10-12%. Thickness of Plywood used is 12mm & 18mm. Seat & Back Foam material is conjugated hollow finer (Recron). Webbing Material: Nylon, thickness: 2 mm. Legs Material: PVC with 4mm bush. The sofa offers generous lumbar support, which engulfs your entire back area. This helps your back receive optimum support and gives you a comfortable seating experience. It features a synthetic leather upholstery, giving it a smooth and rich finish. You can easily clean the surface, as it does not let dust accumulate. Built with sturdy PVC legs, the designer soft sofa from Godrej Interio ensures robust stability and is elevated from the ground, facilitating easy floor cleaning                                                                                          | 4  |

Signature of Contractor

Page 23 of 65

Signature of authorised  
Deptt. Officer



|    |                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |   |
|----|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
|    |                     | and effective floor management with its 4 mm leg bush. It features a soft and wide armrest that lets your shoulder and arms sit right. In turn, helping you maintain the desired posture. Pocket spring is embedded at seat which gives soft and sinking feeling. The high back is filled with recron fibre that engulfs the entire body.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |   |
| 7. | 1 str sofa (Type-7) | Overall Size : Width : 111cm Depth : 93.5cm Height : 89cm Seating Height : 47.5cm. stitching: thread- polyester. pitch- 5 stitch per inch( pitch of thread i.e. stitch per inch). leather/pvc/fabric: (pu/pvc/cotton/ polyester/ composite)- fabric : d3/d5/d6 leather look fabric 100%polyester. thickness (mm) :0.9mm. weight (gsm) : 250g/m2. tensile strength {wrap/weft} (kg/cm) :nil. bursting strength (kg/cm2) :nil. colour fastness to rubbing {dry /wet} (scale 1-5) :grade4. frame material (tropical wood / pine wood/ rubber wood): solid plywood frame. moisture content ( 10 – 12 %) :less than12%. thickness of plywood used(mm) :9mm/12mm/18mm/30mm. standard of plywood used: {required standard : is 303 commercial plywood}. seat foam: (density, type)- thickness (mm) :100mm. density (kg/m3):30. type of foam (virgin/composite/moulded/ slabstock) :seat foam:5cm pure foam 3030(30density)+5cm rebond foam. covering :decron sheet spec.150g 70g. back foam: (density, type)- solid decron 7d/64mm. belt/ webbing material: nylon webbing- width of belt (mm) :back:45mm/seat:50mm.                                                    | 1 |
| 8. | 2 str Sofa (Type-1) | Providing, supplying and placing of two seater sofa. SEAT FOAM : The seat is made up of PU foam in Density 28 ±2 kg/cu.mtr with an additional top layer of supersoft PU foam in Density 32 ± 2 kg/cu, upholstered with fabric or leatherette. BACK FOAM : The back is made up of PU foam in Density 28 ± 2 kg/cu. mtr with two additional top layer of supersoft foam of density 32±2 kg/cu. mtr, upholstered with fabric or leatherette. UNDERSTRUCTRE : Understructure is made up of 1.2±0.1 cm. thick hot pressed plywood [moisture resistance & termite proof as per IS:303] & pinewood of cross sections devoid of major knots & surface defects. 6 nos. per seat & 3.8mm Dia zigzag spring assembly is mounted over understructure for cushioning purpose. LEG ASSEMBLY : It is a welded Assembly made in Stainless steel (grade SS 202) tube & plate with plastic endcap. Width (W): 146.0 CM. Depth (D): 90.5 CM. Height (H): 85.5 CM. Seat Height (SH): 45.0 CM.                                                                                                                                                                                       | 9 |
| 9. | 2 Str Sofa (Type-2) | Providing, supplying and placing of 2 Seater sofa. Overall Size : Width : 156cm Depth : 93.5cm Height : 89cm Seating Height : 47.5cm. stitching: thread- polyester. pitch- 5 stitch per inch( pitch of thread i.e. stitch per inch). leather/pvc/fabric: (pu/pvc/cotton/ polyester/ composite)- fabric : d3/d5/d6 leather look fabric 100%polyester. thickness (mm) :0.9mm. weight (gsm) : 250g/m2. tensile strength {wrap/weft} (kg/cm) :nil. bursting strength (kg/cm2) :nil. colour fastness to rubbing {dry /wet} (scale 1-5) :grade4. frame material (tropical wood / pine wood/ rubber wood): solid plywood frame. moisture content ( 10 – 12 %) :less than12%. thickness of plywood used(mm) :9mm/12mm/18mm/30mm. standard of plywood used: {required standard : is 303 commercial plywood}. seat foam: (density, type)- thickness (mm) :100mm. density (kg/m3):30. type of foam (virgin/composite/moulded/ slabstock) :seat foam:5cm pure foam 3030(30density)+5cm rebond foam. covering :decron sheet spec.150g 70g. back foam: (density, type)- solid decron 7d/64mm. belt/ webbing material: nylon webbing- width of belt (mm) :back:45mm/seat:50mm. | 3 |

Signature of Contractor

Page 24 of 65

Signature of author  
Deptt. Office



|     |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |    |
|-----|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 10. | 2 Str Sofa<br>(Type-3) | Providing, supplying and placing of 2 Seater Sofa.<br>Overall Size :<br>Width : 134cm<br>Depth : 87cm<br>Height : 76cm<br>Seating Height : 39.5cm<br>STITCHING: THREAD : Poly Proplin.<br>LEATHER/PVC/FABRIC: PVC. Thickness (mm) : 0.9 Weight (GSM) : 575                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 18 |
| 11. | 2 Str Sofa<br>(Type-4) | Providing, supplying and placing of Sofa<br>Dimensions W x H x D (cm) - 127.5 x 83.5 x 80<br>Upholstery• Material : Syn Leather<br>•Shade: Crush Brown<br>•Thickness: 1 mm<br>Frame :•Material : Pine Wood<br>•Moisture content : 1012 %<br>•Thickness of Plywood used : 12 mm & 18 mm Seat Foam :<br>•Material : Slab stock<br>•Density : 32 kg/m3 at seat<br>Back Foam :<br>•Material : Slab stock<br>•Density : 28 kg/m3 at seat<br>Webbing :<br>•Material : Nylon<br>Legs :•Material : PVC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 10 |
| 12. | 3 str sofa             | Supply of 3-Seater Sofa as per the following specification. Overall Dimension: 2190W x 990D x 965H mm. Material: Syn. Leather. Frame Material: Pine Wood, Moisture Content: 10-12%. Thickness of Plywood used is 12mm & 18mm. Seat & Back Foam material is conjugated hollow finer (Recron). Webbing Material: Nylon, thickness: 2 mm. Legs Material: PVC with 4mm bush. The sofa offers generous lumbar support, which engulfs your entire back area. This helps your back receive optimum support and gives you a comfortable seating experience. It features a synthetic leather upholstery, giving it a smooth and rich finish. You can easily clean the surface, as it does not let dust accumulate. Built with sturdy PVC legs, the designer soft sofa from Godrej Interio ensures robust stability and is elevated from the ground, facilitating easy floor cleaning and effective floor management with its 4 mm leg bush. It features a soft and wide armrest that lets your shoulder and arms sit right. In turn, helping you maintain the desired posture. Pocket spring is embedded at seat which gives soft and sinking feeling. The high back is filled with recron fibre that engulfs the entire body. | 3  |
| 13. | Back Unit<br>(Type-1)  | Supplying and placing in position Back unit of the following specifications. The Size of the Back unit shall be 2215mm width x 410 mm Depth x 2000mm height. The back unit shall be made up of MDF board duly finished with veneer & final finish by PU coating. Below storage shall be provided with wooden shutters & the upper left & right side of the back unit shall also be provided with wooden shutters. The middle 3 door shutters should be of glass of minimum 5mm thick for display purpose. The hardness of the PU coating shall be 1.5H                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 25 |

Signature of Contractor

Page 25 of 65

Signature of authority  
Deptt. Office



|     |                          |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |    |
|-----|--------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 14. | Back<br>(Type-2)         | Unit | <p>Supplying and placing in position Back unit of the following specifications. 1800x500x1800 Top Panel-Made of 25mm thick MDF one side pre-laminate board confirming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top.</p> <p>Slide Door Unit-Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping for body panels like side, bottom, back and shelves.</p> <p>Shutters are made of 25mm thick MDF one side pre-laminate board confirming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top. Shutters have a soft closing &amp; anti slam mechanism. Handles are provided for ease of opening. Storage is provided with lock for security.</p> <p>Display/Storage Unit-Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping for body panels like side, back and shelves. Doors are made of 25mm thick MDF one side pre-laminate board confirming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top.</p> <p>Top panel of display unit Made of 25mm thick MDF one side pre-laminate board confirming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top.</p> <p>This product should be certified by GREENGUARD, Indoor Advantage GOLD &amp; GREEN PRO.</p> | 15 |
| 15. | Bed<br>Table             | Side | <p>Providing, supplying and placing of Bed side Table.</p> <p>Dimension – mm</p> <p>a. Overall width - 450</p> <p>b. Overall depth – 380</p> <p>c. Overall height - 400</p> <p>One drawer and one open shelf.</p> <p>Material used – Acacia Wood (except for back panel and drawer bottom)</p> <p>Shade – Brown</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 4  |
| 16. | Bed<br>Table<br>(Type-1) | Side | <p>Providing, supplying and placing of Bed Side Table. Overall Size : Depth - 450.0 mm Width - 440.0 mm Height - 510.0 mm</p> <p>Material : Body and drawer panels of Bed side table are made of 18 mm thick Prelaminated Particle Board. All the exposed edges are edge banded with 0.8 mm thick PVC edge banding. Side panels are made of 18 mm thick Prelaminated Particle board with imported H.D.F. foil wrapped decorative trim fixed on to it. Hardware : The high quality hardware used like Roller slides, Hinges , mini fix, dowels is of make Hettich.</p> <p>Construction : Knock Down construction. Packets : 1 packet. Finish : 18 mm thick Prelaminated Particle Board is in Walnut shade.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 7  |

Signature of Contractor

Page 26 of 65

Signature of authorised  
Deptt. Officer



|     |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |    |
|-----|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 17. | Bed Side Table (Type-2)  | <p>Providing, supplying and placing of Bed side Table.</p> <p>Material: Body panels of Bed side table are made of 18mm thick Prelaminated Particle Board of EI grade All the exposed edges are edge banded with 0.8 mm thick PVC edge banding.</p> <p>Drawer front is made of 18 mm thick Membrane pressed MDF of EI grade.</p> <p>Hardware: The high quality hardware used like Roller slides, Hinges, mini fix, dowels is of make Hettich.</p> <p>Construction: Knock Down construction.</p> <p>Packets : 1 Packet.</p> <p>Overall Size :</p> <p>Depth -461.0mm</p> <p>Width-460.0mm</p> <p>Height-516.5mm.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 40 |
| 18. | Book rack (Double Sided) | <p>Providing, supplying and placing double side steel Library Racks in perfectly upright and straight position. The overall size of the rack shall be 940mm (W) X 600mm (D) X 2110mm (H). The rack shall be supplied with 4 nos. of adjustable shelves on both side i.e. 10 loading levels. Rack, side panel, skirting shall be made of 0.8mm thick high yield strength CRCA sheet of grade 'D' confirming to IS: 513. Side and top shall be covered with 18mm thick Pre-laminated particle board of grade II of IS 12823. The edges of the board shall be sealed with 2mm thick PVC edge banding.</p> <p>The add-on units can be stacked width wise to form a bank of racks having common side panel. The shelves shall be folded constructions which have intrinsic rigidity and high load carrying capacity. Uniformly Distributed load capacity per each shelf shall be 80kg maximum. Each shelf shall be provided with stiffener at bottom for strength and back stiffener for separator between front and rear shelf. All steel components shall be epoxy polyester powder coated to the thickness of 60-80micron. Adjustable leveler shall be provided with metal insert to resist scratches on the floor and also level &amp; support structure. Product should be BIFMA gold rated SCS global certified for inhouse air quality.</p> | 4  |
| 19. | Book rack (Single Sided) | <p>Providing, supplying and placing Book Rack.</p> <p>Body - a. Side panels, Frame &amp; Cross L bracket are made using 0.8 mm CRCA (IS:513).</p> <p>b. The assembly consists of 2 tie rods, 4 fixing brackets and 2 turnbuckles. The tie rods are fixed in a shape of 'X'</p> <p>The tie rods are made of 4mm diameter rods of MS while fixing brackets are made of 2mm thick. CRCA IS:513 Grade.</p> <p>c. Optional wooden panel of 25mm thk PLT, E1-P2 grade board for PLT It shall be provided with machine pressed 2 mm thick PVC lipping glued with hot melt EVA glue</p> <p>Under Structure - Under structure is made of 0.8m CRCA (IS:513).</p> <p>b. Sizes of under structure for single body:</p> <ol style="list-style-type: none"> <li>1. 1200W x 295D x 80H</li> <li>2. 2400W X 295D X 80H</li> </ol> <p>Shelves - a. Shelves used are 10 bend panel made of 0.8mm CRCA (IS:513).</p> <p>Shelf panels are placed on shelf support and then fixed using nut and bolts from below.</p> <p>Standard config. consists of 6 loading levels formed by 5 no of adjusted shelf for each main and add on unit.</p> <p>Uniformly Distributed Load Capacity per each shelf is 80 Kg maximum.</p>                                                                                                                                            | 2  |

Signature of Contractor

Page 27 of 65

Signature of authorised  
Deptt. Officer



|     |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |    |
|-----|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
|     |                       | <p>Construction- Completely Knock down construction</p> <p>Finish- All MS sheet metal and metal frame components are powder coated with epoxy polyester powder to the min thickness of min 45 microns.</p> <p>Stackability- The add-on units can be stacked width wise to form a bank of racks having common side panel up to 4800W</p> <p>Shelves back stiffener - At the rear side of the shelves back stiffeners are provided. These act as separators made of 0.8mm THK CRCA (IS:513).</p> <p>Label Holder -It is an aluminum extrusion of length 296mm for single body bookrack , fitted on to front of body. The Paper is 300GSM matt finish, to be inserted into the aluminum extrusion. The length of paper is 296mm for single body bookrack.</p> <p>Optional Accessory - Rollout shelf: Rollout shelf accessory is a pull-out tray which has 2 nos. 'C shaped brackets of 1.2mm thk. Firmly mounted on shelf support with adjustable height. Slides are then fixed on these C brackets and rollout shelf assembly is mounted on the slides. This shelf opens outwards up to 250mm &amp; has load capacity of 40 KG UDL.</p> <p>Book Separator: Book separator is made of 2mm thk. CRCA sheet (IS:513) and is used to as a partition and support for books placed vertically on a shelf.</p> |    |
| 20. | Bunk Bed              | <p>Supplying of APO Bunk Bed as per the following specification. BED FRAME:-</p> <p>BED FRAME ASSEMBLIES 2 NOS. ARE WELDED OF SIDE FRAME &amp; INNER SLAT. THE SIDE FRAME ASSEMBLY ARE MADE OF RECT. TUBE 50.8 X 25.4 X 1.2MM. ASSEMBLY INNER SLAT IS SQ. TUBE OF 25.4 X 1.2 MM THK MS ERW TUBE IS: 7138 GRADE. HEAD BOARD &amp; TAIL BOARD</p> <p>: HEAD BOARD &amp; TAIL BOARD ARE MADE UP OF SQ. PIPE 38.1 X 1.6MM THK, SQ 25.4 X 1.2MM THK MS ERW TUBE IS: 7138 GRADE. SUPPORT BRACKET 3.2MM THK MS SHEET IS: 513 AND CONNECT WITH BED FRAME WITH M8 NUT &amp; BOLT. MOSQUITO ROD: MOSQUITO ROD OF 19.0 X 1.0 MM THK MS ERW TUBE TO BE FIT IN #22 X 1.0MM THK MS ERW TUBE &amp; BOTH TUBE IS OF IS: 7138 GRADE. HOOK IS PROVIDED AT THE TOP OF ALL ROD. LADDER ASLY :- LADDER ASSY IS MADE UP OF RECT. 50.8 X 25.4 X 1.2MM THK &amp; SQ. 25.4 X 1.2MM THK MS ERW TUBE IS: 7138 &amp; CONNECTED WITH BED FRAME. SIDE SUPPORT: SIDE SUPPORT IS MADE OF 25.4 x 1.2MM THK &amp; 19 x 1.2MM THK TUBE CONNECTED WITH BED FRAME USING M8 NUT &amp; BOLT. CLADDING :-12mm THK. PLY FINISH : EPOXY POLYESTER POWDER COATED-DFT 40-60 MICRON</p>                                                                                                                                                            | 38 |
| 21. | Center Table (Type-1) | <p>Providing, supplying and placing of coffee table. CENTER TABLE GLASS: It is 10 ±0.3 mm thick black tinted Toughened glass UV glued with bushes made in SS 202 grade for focusing with understructure. CENTER TABLE UNDERSTRUCTURE: It is a welded Assembly made in SS202 grade Dia. 12±0.04 as per IS:1762. Width of table= 112.0 cm, Depth=60.0 cm, height=34.9 cm.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 9  |

Signature of Contractor

Page 28 of 65

Signature of authorised  
Deptt. Officer



|     |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |    |
|-----|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 22. | Center Table<br>(Type-2) | Providing, supplying and placing of Center Table.<br>Overall Size : Width : 120cm Depth : 60cm Height : 36.7cm Materials : All carcass panel are made of 18 mm prelaminated particle board with edge banding 1.5 mm thickness. Drawer bottom is made of .9 mm thick prelaminated particle board .Drawer front is made of 18 mm thick PU painted MDF . Legs : Rubber wood . Hardware : Hettich . Construction : Knock down .Finish : All 18 mm prelaminated particle board panels are Noce Versailles with walnut edge band. PU lamination is high gloss in Ecru shade .Packets : 1 nos . Materials : All carcass panel are made of 18 mm prelaminated particle board with edge banding 1.5 mm thickness. Hardware : Hettich . Construction : Knock down .Finish : • All 18 mm prelaminated particle board panels are Noce Versailles with walnut edge band . PU lamination is high gloss in Ecru shade .Packets : 1 nos | 3  |
| 23. | Center Table<br>(Type-3) | Providing, supplying and placing of Center Table.L x W x H – 1100 x 600 x 4560Table-top – 8 mm Toughened Clear Glass topPLT – 18 mm thick in Cincinnati WalnutConfiguration – Shelf Storage + Display Space                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 14 |
| 24. | Center Table<br>(Type-4) | Providing, supplying and placing of Coffee Table.<br>Dimensions W x H x D (cm)-120 x 45 x 60<br>Material: 18 mm thk prelaminated particle board<br>Shade: Remini Walnut<br>Construction: Knock down<br>Finish:<br>1) MIP lamination in Remini Walnut shade with matching lipping in Matt finish<br>2) MIP lamination in Remini Black ink shade with matching lipping in Matt finish                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 6  |
| 25. | Center Table<br>(Type-5) | Providing, supplying and placing of Center Table<br>Overall Size : Width : 100cm Depth : 65cm Height : 43cmTABLE<br>MATERIALS: Glass of 08 mm thk tempered, Solid rubber wood legs and frame, MS sheet as bottom shelf. DECORATION MATERIALS & SPECIFICATIONS: (DENSITY / TYPE): PU coating to the rubber wood parts, clear glass                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 2  |
| 26. | Center table<br>(Type-6) | Providing, supplying and placing of Center Table.<br>L x W x H – 925 x 925 x 383<br>Table-top – 18mm thick HMRD board in Afyon Marble<br>PLT – 18 mm thick in Black Ink<br>Configuration – Shelf storage                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 4  |

Signature of Contractor

Page 29 of 65

Signature of authorised  
Deptt. Officer



|     |                |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |    |
|-----|----------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 27. | Class<br>Table | Room | <p>Supplying and placing in position office table of the following specifications.<br/> 1200W X 600D X 750H<br/> Worktop-Made of 25mm Thick Pre-laminated board of E1-P2 grade and approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping.<br/> Access Flap provided on work surface for wire management.<br/> Modesty Panel-Made of 18mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping.<br/> Legs-Cube legs are fabricated from MS ERW Tube of 50 mm x 25 mm x 1.2mm thick and 40 mm x 40 mm x 1.2 mm thick (as per IS: 7138). At the top surface of leg, support brackets of 3 mm thick HR (as per IS: 2062) are welded for fixing worktop. These are welded together by argo shield welding. This welded structure is coated with 50 micron epoxy polyester coating. At the base, a plastic cap with M8 molded insert is fixed, on to which a straight M8 leveler fitted which allows for adjustment of the height upto 50mm.<br/> Cross Members-Cross Members in Unitised T-2 Desk Series are made from 50mm X 25mm X 1.2mm thick ERW tube (as per IS:7138). These are coated with 50 micron epoxy polyester coating.<br/> Cross Members are assembled by friction fit PDC joinery and grub screws. There are always two cross members for one table.<br/> Access Flap-Soft closing access flap is used in Unitized T-2 Desk Series.<br/> Provision for standard size of 8 module electrical (Anchor Roma) is offered. Access flap is made from Aluminum extrusion, PDC parts made from Aluminum Alloy and plastic parts are made from Nylon 6 and wire brush with nylon bristles.<br/> Power Box-Power box made with 0.8 mm thick CRCA (IS: 513), with switch plate (8 Module cutout provision for Anchor Roma). This is fixed with worktop along the depth at Access Flap position<br/> This product should be certified by GREENGUARD, Indoor Advantage GOLD &amp; GREEN PRO.</p> <p>Providing, supplying and installing BODY- All Panels :- 18mm PLB board<br/> Side, Bottom Panel :- 18mm PLB with 0.8mm PVC Edgeband<br/> Back panel Top Panel :- 25mm PLB with 2 mm PVC Edgeband<br/> Shelf &amp; Separator panels (if any) : 18mm PLT board with 0.8mm PVC Edgeband.<br/> DRAWERS- Fascia :- 18mm PLB with 2mm Edgeband<br/> Back Panel :- 18mm PLB with 0.8mm Edgeband<br/> Bottom Panel :- 6mm PLB MDF - No Edgeband<br/> Handle :- Aluminium Anodized handle<br/> Slide :- Powder coated Single extension full panel drawer Slides with rollers<br/> File Drawer :- File drawer provided with fifth roller arrangement<br/> DOORS- 18mm PLB with 2mm Edgeband, suitable hinges are provided<br/> DRAWER INSIDE DRAWER INSIDE- Box Drawer - 323 (w) x 376 (d) x 73 (h) / File Drawer - 293 (w) x 376 (d) x 208 (h)<br/> CONSTRUCTION- Ready to assemble unit and is assembled with suitable KD fittings<br/> LOCKING- Door :- 3 point lock / Cam Lock with Individual Zig-Zag locking<br/> Drawers-BBF :- Cam Lock &amp; Central RH locking with actuator lever &amp; locking strip, mechanism for Box - Box - File<br/> Drawer Ind :- Cam Lock with Individual Zig-Zag locking for individual</p> | 16 |
|-----|----------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|

Signature of Contractor

Page 30 of 65

Signature of authorised  
Deptt. Officer



"Designing, Manufacturing, Supplying, placing, fixing in position and making functional Factory-made Customized Furniture at specified locations in Ground, 1<sup>st</sup> and 2<sup>nd</sup> at ED Office, NBCC Square, New Town, Kolkata."

drawers.

LEVELLER- Leveller base height 10mm height with levelling adjustment max 10.

Signature of Contractor

Page 31 of 65

Signature of authorised  
Deptt. Officer



28.

Compactor  
(Type 1)

Providing, supplying and placing of storage unit. Overall Dimensions of SD 2 Single Drive Cover Unit 2 Bay(U/C + Fittings + Cover) shall be 2400mm(W) x 400mm(D) x 2113mm(H). The Construction shall be rigid knock down made out of 0.8 thick CRCA steel conforming to IS:513, Gr.D. Each body shall have 1 main unit plus add on units (0,1,2,3 depending on no. of bays 1, 2, 3, 4 respectively) . Finish shall be Epoxy polyester powder coated thickness of 40 microns . Shelf construction shall be with 12 bend panel made from CRCA steel 0.7 mm thick IS:513, Gr.D .Uniformly distributed load capacity of 100 Kg . Undercarriage shall have construction in welded frame made of HR sheet 3 mm thick conforming to IS : 2062. The Movements shall be Drive Type configuration : In case of D2,D3 & D4 movement of units is achieved mechanically through a PU Hand Wheel and Sprocket-Chain arrangement mounted rigidly onto body size. For D3 each movable undercarriage shall be provided with 3 driving rollers and 3 driven rollers. LD understructure has 2 nos. of anti-tilt bearing assembly. The roller assembly comprises of a die-cast step wheel, 2 deep-groove ball bearings and a MS shaft. The step wheel is made of cast steel and is fitted onto the MS shaft using a feather key. The two ball bearings are then fastened on either side of the step wheel using circlips. This entire roller assembly is then snap-fitted into a wheel housing. The wheel housing is fixed in the U-channel of the understructure using machine screws. This wheel-housing is made of engineering plastic material made by injection-molding process. The entire roller assembly is designed to withstand the maximum loads of the body. Fittings shall be centralized locking arrangement through Lock which is operated by spring mechanism mounted onto understructure of last drive unit. The lock is made of 0.8 mm thick conforming to IS:513..The 'sprocket-chain' arrangement is covered by a 1 mm thk. CRCA sheet Drive Unit Cover with dimensions 1202mm x 398mm x 87mm and is fixed onto the side of the body. The PU handwheel is rigidly fixed at suitable height on side of the body & projects out of cover by another 99.0 mm. Fixed unit (SD) does not have the Drive Unit Cover. When the last Body is Twin Drive, i.e., TD, hinged doors are provided for the last body. In this scenario the centralized locking system is fitted on the last TD body. Each Drive Type units shall have Locking Knob near the drive wheel for manual locking of individual units when a person is using those units. Knob shall be rotated to unlock position when units are to be moved. End stoppers shall be provided to prevent derailment. The nuts & bolts are galvanized / blackodized / Zn Plated. Also total no. of loading levels per understructure shall be 10 for SD2. Label holder - It is an aluminium extrusion of length 396mm for LD/SD and 796mm for TD, fitted on to front cover of body. The Paper is 300GSM matt milky white sticker paper, to be inserted into the aluminium extrusion. The length of paper is 394mm for LD/SD and 794mm for TD. Over that a transparent plastic of corresponding length of 150-200 micron polythene is to be inserted. This product should be certified By GRIHA & SVAGRIHA , GREEN PRO, GREENGUARD, Indoor Advantage GOLD Providing, supplying and placing of storage unit. Overall Dimensions of LD 2 Single Drive Cover Unit 2 Bay(U/C + Fittings + Cover) shall be 2400mm(W) x 400mm(D) x 2113mm(H). The Construction shall be rigid knock down made out of 0.8 thick CRCA steel conforming to IS:513, Gr.D. Each body shall have 1 main unit plus add on units (0,1,2,3 depending on no. of bays 1, 2, 3, 4 respectively) . Finish shall be Epoxy polyester powder coated thickness of 40 microns . Shelf construction shall be with 12 bend panel made from CRCA steel 0.7 mm thick IS:513, Gr.D .Uniformly distributed load capacity

1

Signature of Contractor

Page 32 of 65

Signature of authorised  
Deptt. Officer



of 100 Kg . Undercarriage shall have construction in welded frame made of HR sheet 3 mm thick conforming to IS : 2062. The Movements shall be Drive Type configuration : In case of D2,D3 & D4 movement of units is achieved mechanically through a PU Hand Wheel and Sprocket-Chain arrangement mounted rigidly onto body size. For D3 each movable undercarriage shall be provided with 3 driving rollers and 3 driven rollers. LD understructure has 2 nos. of anti-tilt bearing assembly. The roller assembly comprises of a die-cast step wheel, 2 deep-groove ball bearings and a MS shaft. The step wheel is made of cast steel and is fitted onto the MS shaft using a feather key. The two ball bearings are then fastened on either side of the step wheel using circlips. This entire roller assembly is then snap-fitted into a wheel housing. The wheel housing is fixed in the U-channel of the understructure using machine screws. This wheel-housing is made of engineering plastic material made by injection-molding process. The entire roller assembly is designed to withstand the maximum loads of the body. Fittings shall be centralized locking arrangement through Lock which is operated by spring mechanism mounted onto understructure of last drive unit. The lock is made of 0.8 mm thick conforming to IS:513..The 'sprocket-chain' arrangement is covered by a 1 mm thk. CRCA sheet Drive Unit Cover with dimensions 1202mm x 398mm x 87mm and is fixed onto the side of the body. The PU handwheel is rigidly fixed at suitable height on side of the body & projects out of cover by another 99.0 mm. Last unit (LD) have the Drive Unit Cover. When the last Body is Twin Drive, i.e., TD, hinged doors are provided for the last body. In this scenario the centralized locking system is fitted on the last TD body. Each Drive Type units shall have Locking Knob near the drive wheel for manual locking of individual units when a person is using those units. Knob shall be rotated to unlock position when units are to be moved. End stoppers shall be provided to prevent derailment. The nuts & bolts are galvanized / blackodized / Zn Plated. Also total no. of loading levels per understructure shall be 10 for LD2. Label holder - It is an aluminium extrusion of length 396mm for LD/SD and 796mm for TD, fitted on to front cover of body. The Paper is 300GSM matt milky white sticker paper, to be inserted into the aluminium extrusion. The length of paper is 394mm for LD/SD and 794mm for TD. Over that a transparent plastic of corresponding length of 150-200 micron polythene is to be inserted. This product should be certified By GRIHA & SVAGRIHA , GREEN PRO, GREENGUARD, Indoor Advantage GOLD Providing, supplying and placing of storage unit. Overall Dimensions of TD 2 Single Drive Cover Unit 2 Bay(U/C + Fittings + Cover) shall be 2400mm(W) x 800mm(D) x 2113mm(H). The Construction shall be rigid knock down made out of 0.8 thick CRCA steel conforming to IS:513, Gr.D. Each body shall have 1 main unit plus add on units (0,1,2,3 depending on no. of bays 1, 2, 3, 4 respectively) . Finish shall be Epoxy polyester powder coated thickness of 40 microns . Shelf construction shall be with 12 bend panel made from CRCA steel 0.7 mm thick IS:513, Gr.D. Uniformly distributed load capacity of 100 Kg. Undercarriage shall have construction in welded frame made of HR sheet 3 mm thick conforming to IS : 2062. The Movements shall be Drive Type configuration : In case of D2, D3 & D4 movement of units is achieved mechanically through a PU Hand Wheel and Sprocket-Chain arrangement mounted rigidly onto body size. For D3 each movable undercarriage shall be provided with 3 driving rollers and 3 driven rollers. LD understructure has 2 nos. of anti-tilt bearing assembly. The roller assembly comprises of a die-cast step wheel, 2 deep-groove ball bearings and a MS shaft. The step wheel is made of cast steel and is fitted onto the

Signature of Contractor

Page 33 of 65

Signature of authorized  
Deptt. Officer



MS shaft using a feather key. The two ball bearings are then fastened on either side of the step wheel using circlips. This entire roller assembly is then snap-fitted into a wheel housing. The wheel housing is fixed in the U-channel of the understructure using machine screws. This wheel-housing is made of engineering plastic material made by injection-molding process. The entire roller assembly is designed to withstand the maximum loads of the body. Fittings shall be centralized locking arrangement through Lock which is operated by spring mechanism mounted onto understructure of last drive unit. The lock is made of 0.8 mm thick conforming to IS:513. The 'sprocket-chain' arrangement is covered by a 1 mm thk. CRCA sheet Drive Unit Cover with dimensions 1202mm x 398mm x 87mm and is fixed onto the side of the body. The PU handwheel is rigidly fixed at suitable height on side of the body & projects out of cover by another 99.0 mm. When the last Body is Twin Drive, i.e., TD, hinged doors are provided for the last body. In this scenario the centralized locking system is fitted on the last TD body. Each Drive Type units shall have Locking Knob near the drive wheel for manual locking of individual units when a person is using those units. Knob shall be rotated to unlock position when units are to be moved. End stoppers shall be provided to prevent derailment. The nuts & bolts are galvanized / blackodized / Zn Plated. Also total no. of loading levels per understructure shall be 20 for TD2. Label holder - It is an aluminium extrusion of length 396mm for LD/SD and 796mm for TD, fitted on to front cover of body. The Paper is 300GSM matt milky white sticker paper, to be inserted into the aluminium extrusion. The length of paper is 394mm for LD/SD and 794mm for TD. Over that a transparent plastic of corresponding length of 150-200 micron polythene is to be inserted. CRCA Steel conforming to IS: 513 Gr.D. This assembly is available for both heights – 1980H and 2361H. This product should be certified By GRIHA & SVAGRIHA, GREEN PRO, GREENGUARD, Indoor Advantage GOLD

Signature of Contractor

Page 34 of 65

Signature of authorised  
Deptt. Officer



29. Compactor  
(Type 2)

Providing, supplying and placing of storage unit. Overall Dimensions of SD 2 Single Drive Cover Unit 2 Bay(U/C + Fittings + Cover) shall be 2400mm(W) x 400mm(D) x 2113mm(H). The Construction shall be rigid knock down made out of 0.8 thick CRCA steel conforming to IS:513, Gr.D. Each body shall have 1 main unit plus add on units (0,1,2,3 depending on no. of bays 1, 2, 3, 4 respectively). Finish shall be Epoxy polyester powder coated thickness of 40 microns . Shelf construction shall be with 12 bend panel made from CRCA steel 0.7 mm thick IS:513, Gr.D. Uniformly distributed load capacity of 100 Kg . Undercarriage shall have construction in welded frame made of HR sheet 3 mm thick conforming to IS : 2062. The Movements shall be Drive Type configuration : In case of D2, D3 & D4 movement of units is achieved mechanically through a PU Hand Wheel and Sprocket-Chain arrangement mounted rigidly onto body size. For D3 each movable undercarriage shall be provided with 3 driving rollers and 3 driven rollers. LD understructure has 2 nos. of anti-tilt bearing assembly. The roller assembly comprises of a die-cast step wheel, 2 deep-groove ball bearings and a MS shaft. The step wheel is made of cast steel and is fitted onto the MS shaft using a feather key. The two ball bearings are then fastened on either side of the step wheel using circlips. This entire roller assembly is then snap-fitted into a wheel housing. The wheel housing is fixed in the U-channel of the understructure using machine screws. This wheel-housing is made of engineering plastic material made by injection-molding process. The entire roller assembly is designed to withstand the maximum loads of the body. Fittings shall be centralized locking arrangement through Lock which is operated by spring mechanism mounted onto understructure of last drive unit. The lock is made of 0.8 mm thick conforming to IS:513. The 'sprocket-chain' arrangement is covered by a 1 mm thk. CRCA sheet Drive Unit Cover with dimensions 1202mm x 398mm x 87mm and is fixed onto the side of the body. The PU handwheel is rigidly fixed at suitable height on side of the body & projects out of cover by another 99.0 mm. Fixed unit (SD) does not have the Drive Unit Cover. When the last Body is Twin Drive, i.e., TD, hinged doors are provided for the last body. In this scenario the centralized locking system is fitted on the last TD body. Each Drive Type units shall have Locking Knob near the drive wheel for manual locking of individual units when a person is using those units. Knob shall be rotated to unlock position when units are to be moved. End stoppers shall be provided to prevent derailment. The nuts & bolts are galvanized / blackodized / Zn Plated. Also total no. of loading levels per understructure shall be 10 for SD2. Label holder - It is an aluminium extrusion of length 396mm for LD/SD and 796mm for TD, fitted on to front cover of body. The Paper is 300GSM matt milky white sticker paper, to be inserted into the aluminium extrusion. The length of paper is 394mm for LD/SD and 794mm for TD. Over that a transparent plastic of corresponding length of 150-200 micron polythene is to be inserted. This product should be certified By GRIHA & SVAGRIHA , GREEN PRO, GREENGUARD, Indoor Advantage GOLD Providing, supplying and placing of storage unit. Overall Dimensions of LD 2 Single Drive Cover Unit 2 Bay(U/C + Fittings + Cover) shall be 2400mm(W) x 400mm(D) x 2113mm(H). The Construction shall be rigid knock down made out of 0.8 thick CRCA steel conforming to IS:513, Gr.D. Each body shall have 1 main unit plus add on units (0,1,2,3 depending on no. of bays 1, 2, 3, 4 respectively) . Finish shall be Epoxy polyester powder coated thickness of 40 microns . Shelf construction shall be with 12 bend panel made from CRCA steel 0.7 mm thick IS:513, Gr.D. Uniformly distributed load capacity

1

Signature of Contractor

Page 35 of 65

Signature of authorised  
Deptt. Officer



of 100 Kg . Undercarriage shall have construction in welded frame made of HR sheet 3 mm thick conforming to IS : 2062. The Movements shall be Drive Type configuration : In case of D2,D3 & D4 movement of units is achieved mechanically through a PU Hand Wheel and Sprocket-Chain arrangement mounted rigidly onto body size. For D3 each movable undercarriage shall be provided with 3 driving rollers and 3 driven rollers. LD understructure has 2 nos. of anti-tilt bearing assembly. The roller assembly comprises of a die-cast step wheel, 2 deep-groove ball bearings and a MS shaft. The step wheel is made of cast steel and is fitted onto the MS shaft using a feather key. The two ball bearings are then fastened on either side of the step wheel using circlips. This entire roller assembly is then snap-fitted into a wheel housing. The wheel housing is fixed in the U-channel of the understructure using machine screws. This wheel-housing is made of engineering plastic material made by injection-molding process. The entire roller assembly is designed to withstand the maximum loads of the body. Fittings shall be centralized locking arrangement through Lock which is operated by spring mechanism mounted onto understructure of last drive unit. The lock is made of 0.8 mm thick conforming to IS:513..The 'sprocket-chain' arrangement is covered by a 1 mm thk. CRCA sheet Drive Unit Cover with dimensions 1202mm x 398mm x 87mm and is fixed onto the side of the body. The PU handwheel is rigidly fixed at suitable height on side of the body & projects out of cover by another 99.0 mm. Last unit (LD) have the Drive Unit Cover. When the last Body is Twin Drive, i.e., TD, hinged doors are provided for the last body. In this scenario the centralized locking system is fitted on the last TD body. Each Drive Type units shall have Locking Knob near the drive wheel for manual locking of individual units when a person is using those units. Knob shall be rotated to unlock position when units are to be moved. End stoppers shall be provided to prevent derailment. The nuts & bolts are galvanized / blackodized / Zn Plated. Also total no. of loading levels per understructure shall be 10 for LD2. Label holder - It is an aluminium extrusion of length 396mm for LD/SD and 796mm for TD, fitted on to front cover of body. The Paper is 300GSM matt milky white sticker paper, to be inserted into the aluminium extrusion. The length of paper is 394mm for LD/SD and 794mm for TD. Over that a transparent plastic of corresponding length of 150-200 micron polythene is to be inserted. This product should be certified By GRIHA & SVAGRIHA , GREEN PRO, GREENGUARD, Indoor Advantage GOLD Providing, supplying and placing of storage unit. Overall Dimensions of TD 2 Single Drive Cover Unit 2 Bay(U/C + Fittings + Cover) shall be 2400mm(W) x 800mm(D) x 2113mm(H). The Construction shall be rigid knock down made out of 0.8 thick CRCA steel conforming to IS:513, Gr. D. Each body shall have 1 main unit plus add on units (0,1,2,3 depending on no. of bays 1, 2, 3, 4 respectively). Finish shall be Epoxy polyester powder coated thickness of 40 microns. Shelf construction shall be with 12 bend panel made from CRCA steel 0.7 mm thick IS:513, Gr. D. Uniformly distributed load capacity of 100 Kg. Undercarriage shall have construction in welded frame made of HR sheet 3 mm thick conforming to IS : 2062. The Movements shall be Drive Type configuration : In case of D2,D3 & D4 movement of units is achieved mechanically through a PU Hand Wheel and Sprocket-Chain arrangement mounted rigidly onto body size. For D3 each movable undercarriage shall be provided with 3 driving rollers and 3 driven rollers. LD understructure has 2 nos. of anti-tilt bearing assembly. The roller assembly comprises of a die-cast step wheel, 2 deep-groove ball bearings and a MS shaft. The step wheel is made of cast steel and is

Signature of Contractor

Page 36 of 65

Signature of authorised  
Deptt. Officer



|     |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |   |
|-----|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
|     |                              | <p>fitted onto the MS shaft using a feather key. The two ball bearings are then fastened on either side of the step wheel using circlips. This entire roller assembly is then snap-fitted into a wheel housing. The wheel housing is fixed in the U-channel of the understructure using machine screws. This wheel-housing is made of engineering plastic material made by injection-molding process. The entire roller assembly is designed to withstand the maximum loads of the body. Fittings shall be centralized locking arrangement through Lock which is operated by spring mechanism mounted onto understructure of last drive unit. The lock is made of 0.8 mm thick conforming to IS:513. The 'sprocket-chain' arrangement is covered by a 1 mm thk. CRCA sheet Drive Unit Cover with dimensions 1202mm x 398mm x 87mm and is fixed onto the side of the body. The PU handwheel is rigidly fixed at suitable height on side of the body &amp; projects out of cover by another 99.0 mm. When the last Body is Twin Drive, i.e., TD, hinged doors are provided for the last body. In this scenario the centralized locking system is fitted on the last TD body. Each Drive Type units shall have Locking Knob near the drive wheel for manual locking of individual units when a person is using those units. Knob shall be rotated to unlock position when units are to be moved. End stoppers shall be provided to prevent derailment. The nuts &amp; bolts are galvanized / blackodized / Zn Plated. Also total no. of loading levels per understructure shall be 20 for TD2. Label holder - It is an aluminium extrusion of length 396mm for LD/SD and 796mm for TD, fitted on to front cover of body. The Paper is 300GSM matt milky white sticker paper, to be inserted into the aluminium extrusion. The length of paper is 394mm for LD/SD and 794mm for TD. Over that a transparent plastic of corresponding length of 150-200 micron polythene is to be inserted. CRCA Steel conforming to IS: 513 Gr.D. This assembly is available for both heights - 1980H and 2361H. This product should be certified By GRIHA &amp; SVAGRIHA, GREEN PRO, GREENGUARD, Indoor Advantage GOLD</p> |   |
| 30. | Conference Table - 21 Seater | <p>Supplying and placing in position conference table of the following specifications</p> <p>Work Surface-Made of 36mm thick MDF one side pre laminate board conforming to IS14587:1998 with 0.4mm PVC membrane pressed on to top and having chamfered edge. Full length access panel is provided with soft closing hinges inline with worktop edge. Worktop is available in various shapes.</p> <p>Understructure-The understructure consist of mixture of 18mm and 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade conforming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Aluminium alloy 63400 - WP profile is used for connecting panels together.</p> <p>Modesty-Made of 18mm Thick Pre-laminated twin board of E1-P2 grade and approved shade conforming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping.</p> <p>Wire Management-An array of panels made of 0.8mm and 1.2 mm CRCA MS IS:513, epoxy polyester powder coated (DFT 40-60 microns) is used for flow of wires and cables. Cutout for Standard Anchor Roma 4 module is provided for electrical fittings in Straight two seater and single seater modules below access flap per seat.</p> <p>AV Details-The table is equipped with Extron cables cubbies along with cable retractors as standard offering only for 1800mm head module, 2350mm head module, 150° head module and 165° head module. For straight two seater and single seater modules, provision to mount AV cables is provided (eg. HDMI, VGAA, etc). Only Corner 90°, 30° corner and 50° corner modules</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 2 |

Signature of Contractor

Page 37 of 65

Signature of authorised  
Deptt. Officer



|     |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |    |
|-----|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
|     |                              | have provision for wire flow between adjacent tables. Additional Wirecover made of 0.8mm Thick CRCA, provided below worktop to conceal Micro AV Details phone wires running from table top to wire tray. This product should be certified by GREENGUARD, Indoor Advantage GOLD, GRIHA & SVAGRIHA & GREEN PRO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |    |
| 31. | Conference table - 33 Seater | <p>Supplying and placing in position conference table of the following specifications</p> <p>Work Surface-Made of 36mm thick MDF one side pre laminate board conforming to IS14587:1998 with 0.4mm PVC membrane pressed on to top and having chamfered edge. Full length access panel is provided with soft closing hinges inline with worktop edge. Worktop is available in various shapes.</p> <p>Understructure-The understructure consist of mixture of 18mm and 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade conforming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Aluminium alloy 63400 - WP profile is used for connecting panels together.</p> <p>Modesty-Made of 18mm Thick Pre-laminated twin board of E1-P2 grade and approved shade conforming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping.</p> <p>Wire Management-An array of panels made of 0.8mm and 1.2 mm CRCA MS IS:513, epoxy polyester powder coated (DFT 40-60 microns) is used for flow of wires and cables. Cutout for Standard Anchor Roma 4 module is provided for electrical fittings in Straight two seater and single seater modules below access flap per seat.</p> <p>AV Details-The table is equipped with Extron cables cubbies along with cable retractors as standard offering only for 1800mm head module, 2350mm head module, 150° head module and 165° head module. For straight two seater and single seater modules, provision to mount AV cables is provided (eg. HDMI, VGAA, etc). Only Corner 90°, 30° corner and 50° corner modules have provision for wire flow between adjacent tables. Additional Wirecover made of 0.8mm Thick CRCA, provided below worktop to conceal Micro AV Details phone wires running from table top to wire tray.</p> <p>This product should be certified by GREENGUARD, Indoor Advantage GOLD, GRIHA &amp; SVAGRIHA &amp; GREEN PRO.</p> | 1  |
| 32. | Corner Table (Type-1)        | <p>Providing, supplying and placing of side table. SIDE TABLE GLASS: It is 10 ±0.3 mm thick black tinted Toughened glass UV glued with bushes made in SS 202 grade for fixing with understructure. SIDE TABLE UNDERSTRUCTURE: It is a welded Assembly made in SS202 grade Dia. 12±0.04 as per IS:1762. Width of table= 60.0 cm, Depth=60.0 cm, height=34.9 cm.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 18 |
| 33. | Corner Table (Type-2)        | <p>Providing, supplying and placing of Corner Table.</p> <p>Dimensions : W x H x D (cm)-80 x 45 x 37.5</p> <p>Material: 18 mm thk pre laminated particle board</p> <p>Shade: Remini Walnut</p> <p>Construction: Knock down</p> <p>Finish:</p> <p>1) MIP lamination in Remini Walnut shade with matching lipping in Matt finish</p> <p>2) MIP lamination in Remini Black ink shade with matching lipping in Matt finish</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 18 |

Signature of Contractor

Page 38 of 65

Signature of authorised  
Deptt. Officer



|     |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |    |
|-----|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 34. | Corner Table (Type-3) | Providing, supplying and placing of Corner Table. Overall Size : Width : 60cm Depth : 60cm Height : 49.8cm Materials : All carcass panel are made of 18 mm prelaminated particle board with edge banding 1.5 mm thickness. Drawer bottom is made of .9 mm thick prelaminated particle board .Drawer front is made of 18 mm thick PU painted MDF . Legs : Rubber wood . Hardware : Hettich . Construction : Knock down .Finish : All 18 mm prelaminated particle board panels are Noce Versailles with walnut edge band. PU lamination is high gloss in Ecru shade .Packets : 1 nos . Materials : All carcass panel are made of 18 mm prelaminated particle board with edge banding 1.5 mm thickness. Hardware : Hettich . Construction : Knock down .Finish : • All 18 mm prelaminated particle board panels are Noce Versailles with walnut edge band . PU lamination is high gloss in Ecru shade .Packets : 1 nos | 5  |
| 35. | Corner Table (Type-4) | Providing, supplying and placing of Side Table.<br>L x W x H – 450 x 450 x 606<br>Table-top – 6 mm Toughened Clear Glass top<br>PLT – 18 mm thick in Cincinnati Walnut<br>Configuration – Shelf Storage + Display Space                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 37 |
| 36. | Corner Table (Type-5) | Providing, supplying and placing of Corner Table. Overall Size : Width : 60cm Depth : 60cm Height : 45cmTABLE MATERIALS: Glass of 08 mm thk tempered, Solid rubber wood legs and frame, MS sheet as bottom shelf .DECORATION MATERIALS & SPECIFICATIONS: (DENSITY / TYPE): PU coating to the rubber wood parts, clear glass                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 4  |
| 37. | Corner Table (Type-6) | Providing, supplying and placing of Side Table.L x W x H – 455 x 455 x 383Table-top – 18mm thick HMRD board in Afyon Marble PLT – 18 mm thick in Black InkConfiguration – Shelf storage                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 5  |
| 38. | Dining Chair          | SHELL : The single piece seat back shell is made up of injection moulded high impact strength glass filled polypropylene polymer compound (refer product catalogue for colour chart).<br>SHELL SIZE : 44.0 cm. (W) x 50.2 cm. (D) x 40.5 cm. (H)<br>M.S. POWDER COATED UNDERSTRUCTURE OPTION (SM6): The powder coated (DFT 50±10 microns) welded tubular frame is made from Ø 2.22 ± 0.03 cm x 0.16 ± 0.0128 cm M.S. E.R.W tube. The 0.16 ± 0.008 cm thk CRCA sheet is welded to tubes for fixing shell to the frame. The shoe is made of high impact strength polypropylene polymer compound and are fitted at the end of the tubular frame.<br>WIDTH (W): 51.5 CM<br>DEPTH (D): 52.5 CM<br>HEIGHT (H): 81.8 CM<br>SEAT HEIGHT (SH) : 45.9 CM.                                                                                                                                                                     | 68 |

Signature of Contractor

Page 39 of 65

Signature of authorised  
Deptt. Officer



|     |              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |    |
|-----|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 39. | Dining Set   | <p>Providing, supplying and placing of Dining Set.<br/> Overall Size :<br/> Ace Dining table :<br/> Length : 110 cm<br/> Width : 75 cm<br/> Height : 75.9cm<br/> Ace Dining Chair :<br/> Length : 43cm<br/> Width : 43cm<br/> Height : 78.5cm<br/> Seating Height : 47cm<br/> Table Top: MDF +Solid Rubberwood ,Table Legs: Solid Rubber wood<br/> Table Top :Thickness 19 mm thick Table Top .Wood Colour: Dark Wood<br/> Seating :4 ,Size in mm 1100 (L) x 750 (W) x 759 (H)<br/> Specification- Dining Chair-Material: Solid Rubberwood + Fabric,<br/> Wood Colour: Dark wood, Size in mm: 430 (L) x 430 (W)x 785 (H)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 2  |
| 40. | Dining Table | <p>1200 x 600 x 750 Table top should be made of 25mm thk. MDF OSB board (Bottom side in white color) as per IS:12406 with membrane finish on top side. Legs should be made by welding the combination of MS ERW round Tube 63.5 x 2mm THK as per IS: 7138, flanges made CRCA sheet of 1.6mm thk. and 1.2mm thk. as per IS 513 and inside plates made of HR 5mm thk. sheet as per IS:2062. The Assembly will be epoxy polyester powder coated of minimum thickness 45 microns. The Table top will fold upside at offset center pivot provided on support bracket which should be Aluminum alloy (ADC12) pressure die cast part coated with epoxy polyester powder coating of minimum thickness of 45 microns. Table top connected with spring loaded mechanism with pull handle made of MS ERW 016x1 2mm thk with an insert tube of 012.7x1.6mm thk tube as per IS:7138 coated with epoxy polyester powder coated of minimum 45 micron thickness to operate table top. Legs should be provided with casters of 065mm lockable type for ease of movement and can be locked when required at any position.</p>                                                                                                                                                                                                                                                                               | 18 |
| 41. | Display Rack | <p>Providing, supplying and placing an open display book racks. The overall size of the rack shall be 925mm (W) X 300mm (D) X 1800mm (H). The rack shall be supplied with 4 nos. of adjustable shelves i.e. 5 loading levels. Rack, side panel, skirting shall be made of 0.8mm thick high yield strength CRCA sheet of grade 'D' conforming to IS: 513. Side and top shall be covered with 18mm thick Pre-laminated particle board of grade II of IS 12823. The edges of the board shall be sealed with 2mm thick PVC edge banding. The add-on units can be stacked width wise to form a bank of racks having common panel. Back panel up to the bottom of third rack shall have additional rigidity. The shelves shall have folded constructions which have intrinsic rigidity and high load carrying capacity. Uniformly distributed load capacity per each shelf shall be 80 kg maximum. Each rack shall be provided with stiffener at bottom for strength. Label holder &amp; range indicators on each main unit for inserting labels. All steel components shall be epoxy polyester powder coated to the thickness of 60-80micron.. Adjustable leveler shall be provided with metal insert to resist scratches on the floor and also level &amp; support structure. Product should be BIFMA gold rated SCS global certified for inhouse air quality and with 05 years warranty.</p> | 1  |

Signature of Contractor

Page 40 of 65

Signature of authorised  
Deptt. Officer



|     |                           |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |     |
|-----|---------------------------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 42. | Full<br>Chair<br>(Type-1) | Back<br>(Type-1) | <p>SEAT/BACK ASSEMBLY: The seat is made up of 1.5 ±0.1cm. thick hot-pressed plywood and upholstered with fabric upholstery covers and moulded Polyurethane foam. The seat has extra thick foam on front edge to give comfort to popliteal area. The Back is injection moulded in glass filled Polypropylene which is upholstered with Mesh fabric. The back consist of adjustable lumbar support made of injection moulded Polypropylene having an adjustment of 5.0 ±0.1 cm. The chair seat &amp; back size are *SEAT SIZE 53.5 cm. (W) x 51.0 cm. (D) *MESH BACK SIZE 51.0 cm. (W) x 70.0 cm. (H) HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR polyurethane seat foam is moulded with density 45±2 kg/m<sup>3</sup> and hardness 16±2 kgf as per IS:7888 for 25% compression. ARMRESTS: The adjustable armrest is designed with the following features : Up-Down adjustment- 6 steps (7.2 ± 0.5cm range). Armrest top is mounted on Armrest structure made of glass filled Nylon. Armrest Top is PU moulded over glass filled Nylon insert. CENTER TILT SYNCHRO MECHANISM WITH MULTI LOCK : The mechanism is designed with the following features: 360° revolving type. 3 position locking with anti shock mechanism. Tilt tension adjustment PNEUMATIC HEIGHT ADJUSTMENT: The pneumatic height adjustment with and adjustment stroke of 9.5 ± 0.3cm. PEDESTAL ASSEMBLY : The pedestal is injection moulded in glass-filled Nylon and fitted with 5 nos. twin wheel castors. The pedestal is 66.1 ±0.5cm. pitch-center dia. (76.1 ±1.0cm with castors). TWIN WHEEL CASTORS : The twin wheel castors are injection moulded in Black Nylon. WIDTH (W): 76.1 CM. DEPTH (D): 76.1 CM. HEIGHT (H): 101.5 - 111.0 CM. SEAT HEIGHT (SH): 44.5 - 54.0 CM.</p> | 142 |
|-----|---------------------------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|

Signature of Contractor

Page 41 of 65

Signature of authorised  
Deptt. Officer



|     |                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |
|-----|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 43. | Full Chair (Type-2) | <p>SEAT/BACK ASSEMBLY: The back is made up of 1.2 ±0.1cm. thick hot-pressed plywood &amp; seat is made up of 1.5 ±0.1cm. thick hot-pressed plywood measured and upholstered with fabric upholstery covers and moulded Polyurethane foam. The back foam is designed with contoured foam lumbar support. The seat has extra thick foam on front edge to give comfort to popliteal area.</p> <p>The chair seat &amp; back size are<br/> FULL BACK SIZE 51.5 cm. (W) x 69.0 cm. (H)<br/> SEAT SIZE 53.5 cm. (W) x 51.0 cm. (D)<br/> HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR polyurethane foam is moulded with density = 45±2 kg/m<sup>3</sup> and hardness load 14 ± 2 kgf as per IS:7888 for 25% compression.</p> <p>ARMRESTS : The adjustable armrest is designed with the following features</p> <ul style="list-style-type: none"> <li>· Up-Down adjustment– 6 steps (7.2 ± 0.5cm range)</li> <li>· Armrest top is mounted on Armrest structure made of glass filled Nylon.</li> <li>· Armrest Top is PU moulded over glass filled Nylon insert.</li> </ul> <p>CENTER TILT SYNCHRO MECHANISM WITH MULTI LOCK : The mechanism is designed with the following features:</p> <ul style="list-style-type: none"> <li>· 360° revolving type.</li> <li>· 3 position locking with anti shock mechanism.</li> <li>· Tilt tension adjustment</li> </ul> <p>PNEUMATIC HEIGHT ADJUSTMENT : The pneumatic height adjustment has an adjustment stroke of 9.5 ± 0.3 cm</p> <p>PEDESTAL ASSEMBLY : The pedestal is injection moulded in black glass-filled Nylon and fitted with 5 nos. twin wheel castors. The pedestal is 66.1 ±0.5cm. pitch-center dia. (76.1 ±1.0cm with castors).</p> <p>TWIN WHEEL CASTORS : The twin wheel castors are injection moulded in Black Nylon.</p> <p>WIDTH (W): 76.1 CM.<br/> DEPTH (D): 76.1 CM.<br/> HEIGHT (H): 101.5-111.5 CM.<br/> SEAT HEIGHT (SH): 46.0-56.0 CM.</p> | 141 |
|-----|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|

Signature of Contractor

Page 42 of 65

Signature of authorised  
Deptt. Officer



|     |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |    |
|-----|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 44. | Full Back Chair (Type-3) | <p>Providing, supplying and placing of Mid Back Chair. SEAT/BACK ASSEMBLY: The seat is made up of <math>1.2 \pm 0.1</math> cm thk. hot pressed plywood measured. The Back is made up of injection moulded glass filled nylon &amp; upholstered using Mesh fabric with high tenacity yarn.* SEAT SIZE : 47.0 cm. (W) x 51.5 cm (D)* BACK SIZE : 45.0 cm. (W) x 65.3 cm. (H)HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR polyurethane seat foam is moulded with density <math>45 \pm 2</math> kg/m<sup>3</sup> and hardness <math>16 \pm 2</math> kgf as per IS:7888 for 25% compression.ARMRESTS : The adjustable armrest is designed with the following features :• Up-Down adjustment- 8 steps (80±0.5cm range)• Height adjustable armrest structure which is Powder Coated &amp; fitted with an armrest top.• Fixed Armrest Top is PU moulded over metal insert.LUMBAR SUPPORT ASSEMBLY: The Lumbar support consists of polypropylene pad with moulded polyurethane foam &amp; covered with polyester fabric. The Height of Lumbar pad can be adjusted through two projecting knobs provided on the rear side of the pad. Lumbar pad has an adjustment of <math>8.0 \pm 0.5</math> cm in height.FRONT PIVOT SYNCHRO MECHANISM: The adjustable tilting mechanism is designed with the following features. • 360° revolving type. • Single point control. • Front-pivot for tilt with feet resting on ground ensuring more comfort. • Tilt tension adjustment. • 4-position locking with anti-shock feature. • Seat/back tilting ratio of 1:2.PNEUMATIC HEIGHT ADJUSTMENT. The pneumatic height adjustment has an adjustment stroke of <math>10.0 \pm 0.3</math> cm.Pedestal Assembly : the pedestal is injection moulded in black 30% glass filled nylon and fitted with 5 nos. twin wheel castors. The pedestal pitch center dia is <math>66.1 \pm 0.5</math> cm.TWIN WHEEL CASTORS: The twin wheel castors are injection moulded in black Nylon.This product should be certified by Indoor Advantage GOLD, BIFMA Level 2 &amp; GREEN PRO.</p> | 16 |
|-----|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|

Signature of Contractor

Page 43 of 65

Signature of authorised  
Deptt. Officer



|     |                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |    |
|-----|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 45. | Full Chair (Type-4) | <p>SEAT/BACK ASSEMBLY: The seat is made up of 1.5 ±0.1cm, thick hot-pressed plywood and upholstered with fabric upholstery covers and moulded Polyurethane foam. The seat has extra thick foam on front edge to give comfort to popliteal area. The Back is injection moulded in glass filled Polypropylene which is upholstered with Mesh fabric. The back consist of adjustable lumbar support made of injection moulded Polypropylene having an adjustment of 5.0 ±0.1 cm.</p> <p>The chair seat &amp; back size are<br/> SEAT SIZE- 53.5 cm. (W) x 51.0 cm. (D)<br/> *MESH BACK SIZE- 51.0 cm. (W) x 70.0 cm. (H)<br/> HIGH RESILIENCE (HR) POLYURETHANE FOAM The HR polyurethane seat foam is moulded with density 45±2 kg/m<sup>3</sup> and hardness 16±2 kgf as per IS:7888 for 25% compression.</p> <p>ARMRESTS: The height adjustable armrest is made of glass filled Nylon and can be adjusted to 6,0±0.1cm height. It also has swivel and To and Fro adjustment with moulded PU armtop.</p> <p>CENTER TILT SYNCHRO MECHANISM WITH SEAT SLIDE &amp; MULTI LOCK: The mechanism is designed with the following features:<br/> 360° revolving type.<br/> 3 position locking with anti shock mechanism.<br/> Seat depth adjustment of 6.0 ±0.5cm. can be locked in 6 positions. Tilt tension adjustment.</p> <p>PNEUMATIC HEIGHT ADJUSTMENT: The pneumatic height adjustment with an adjustment stroke of 9.5 ± 0.3cm.</p> <p>PEDESTAL ASSEMBLY: The pedestal is High Pressure Diecast polished Aluminium and fitted with 5 nos, twin wheel castors. The pedestal pitch-center dia is Ø65.0 ± 0.5 cm.(75.0 ±1.0 cm, with castors).</p> <p>TWIN WHEEL CASTORS: The twin wheel soft castors are injection moulded in black Nylon with PU lining, having 6.0± 0.1cm wheel Diameter.<br/> Width: 75.0cm<br/> Depth: 75.0cm<br/> Height: 100.5-110.0cm<br/> Seat Height: 45.0-54.5cm</p> | 72 |
|-----|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|

Signature of Contractor

Page 44 of 65

Signature of authorised  
Deptt. Officer



|     |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |    |
|-----|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 46. | High Back Chair (Type-1) | <p>Providing, supplying and placing of High Back Chair. SEAT ASSEMBLY: The seat assembly should be made up of 1.2 <math>\pm</math> 0.1cm. thick hot-pressed plywood, upholstered with fabric upholstery covers and moulded Polyurethane foam. SEAT SIZE: 47.0 cm. (W) x 48.0 cm. (D). BACK ASSEMBLY: The back assembly. should be made of powder coated (OFT 40-60 microns) tubular frame of 0 2.54 <math>\pm</math> 0.03cm. x 0.2 <math>\pm</math> 0.016cm.thk. MS ERW tube designed with contoured lumbar support for extra comfort. The back should be upholstered using double layer spacer mesh fabric with high tenacity yarn. BACK SIZE : 46.5 cm (W) x 70.5 cm (H). HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR polyurethane foam should be moulded with density =45+/-2 kg/m<sup>3</sup> and hardness load 16 <math>\pm</math> 2 kgf for 25% compression. ARMRESTS: The one-piece armrests should be injection moulded from black Co-polymer Polypropylene. CENTRE-TILT mechanism: The mecha should be m should be designed with the following features: • 360° revolving type. • 17° <math>\pm</math> 2° maximum tilt on pivot at centre • Upright position locking. Tilt tension adjustment. PNEUMATIC HEIGHT ADJUSTMENT: The pneumatic height adjustment has an adjustment stroke of 11.0 <math>\pm</math> 0.3cm. TELESCOPIC BELLOW ASSY: The bellow should be 3 piece telescopic type and injection moulded in Black Polypropylene. PEDESTAL ASSEMBLY: The pedestal should be injection moulded in black 33% glass-filled Nylon66 and fitted with 5 nos. twin wheel castors. The pedestal should be 66.3 <math>\pm</math> 0.5cm. pitch-center dia. (76.3 <math>\pm</math> 1.0cm with castors.) TWIN WHEEL CASTORS: The twin wheel castors should be injection moulded in black nylon. Overall Dimensions of Chair Seat Height - min 43.3 to max 54.3cm. Height - min 99.5 to max 110.5cm. Width &amp; Depth of Chair as measured from pedestal - Width-76.3 cm and Depth-76.3 cm. This product should be certified by Indoor Advantage GOLD &amp; GREEN PRO.</p> | 12 |
|-----|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|

Signature of Contractor

Page 45 of 65

Signature of authorised  
Deptt. Officer



|     |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |   |
|-----|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| 47. | High Back Chair (Type-2) | <p>Providing, supplying and placing of High Back Chair. SEAT/BACK ASSEMBLY: The Cushioned seat should be made of Injection molded Plastic outer &amp; inner. Plastic Inner should be upholstered with stitched cover and moulded High Resilience Polyurethane foam of Density <math>45 \pm 2</math> kg/m<sup>3</sup>, and hardness load <math>16 \pm 2</math> kgf for 25% compression. The stitched cover should be made from spacer fabric and leatherette. Cushioned back should be made of PU Foam with insitu molded MS E.R.W Round Tube of size <math>1.9 \pm 0.03</math> cm x <math>0.16 \pm 0.0128</math> cm. It upholstered with spacer fabric and leatherette.</p> <p>Seat SIZE: 47.0cm.(W)x48.0cm. (D).</p> <p>BACK ASSEMBLY: The Cushioned back is made of PU Foam with insitu molded MS E.R.W Round Tube of size <math>1.9 \pm 0.03</math> cm x <math>0.16 \pm 0.0128</math> cm. It upholstered with spacer fabric and leatherette.</p> <p>BACK SIZE: 45 cm. (W) x 75.5 cm. (D)</p> <p>ARMRESTS: The armrest top should be moulded from polyurethane(PU) and mounted on to a drop lift adjustable type tubular armrest support made of <math>03.81 \pm 0.03</math> cm x <math>0.2 \pm 0.01</math> cm thk MS E.R.W tube. The armrest height adjustable up to <math>6.5 \pm 0.5</math> cm in 5 steps. The Armrest structure should be powder coated (DFT 40-60 micron).</p> <p>ACTIVE BIO-SYNCHRO mechanism : The adjustable tilting mechanism should be designed with the following features:</p> <ul style="list-style-type: none"> <li>• 360° revolving type.</li> <li>• Front-pivot for tilt with feet resting on ground and continuous lumbar support ensuring more comfort.</li> <li>• Tilt tension adjustment can be operated in seating position.</li> <li>• 5-position Tilt limiter giving option of variable tilt angle to the chair.</li> <li>• Seat/back tilting ratio of 1: 2</li> <li>• The mechanism housing should be made up of HPDC Aluminium black powder coated.</li> </ul> <p>SEAT DEPTH ADJUSTMENT Seat depth adjustment should be integrated in the seat through a sliding mechanism. Seat depth adjustment range should be of <math>6.0 \pm 0.5</math> cm.</p> <p>ADJUSTABLE BACK SUPPORT Back Frame should be connected to the Up/Dn mechanism housed in Plastic T spine. It can be adjusted in the range of <math>7.42 \pm 0.5</math> cm for the comfortable back support to suit individual need.</p> <p>PNEUMATIC HT. ADJUSTMENT The pneumatic ht adjustment has an adjustment stroke of <math>10.0 \pm 0.3</math> cm.</p> <p>PNEUMATIC HT. ADJUSTMENT : The pedestal is injection moulded in black 33% glass-filled Nylon 66 and fitted with 5 nos. twin wheel castors. The pedestal is <math>66.1 \pm 0.5</math> cm. pitch-center dia. (<math>76.1 \pm 1.0</math> cm. With castors.)</p> <p>TWIN WHEEL CASTOR : 5 Nos. twin wheel castors should be injection moulded in plastic having <math>6.0 \pm 0.1</math> cm wheel Diameter and assembled to pedestal.</p> <p>Overall Dimensions of Chair<br/>         Seat Height - 44.4-54.4cm,<br/>         Height - 113.6-131.1cm.<br/>         Width-76.1 cm and Depth-76.1 cm</p> <p>This product should be certified by Indoor Advantage GOLD, GREENGUARD GOLD, BIFMA Level 2 &amp; GREEN PRO.</p> | 6 |
|-----|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|

Signature of Contractor

Page 46 of 65

Signature of authorised  
Deptt. Officer



|     |                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |   |
|-----|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| 48. | High Chair (Type-3) | <p>Back</p> <p>Providing, supplying and placing of High Back Chair. SEAT ASSEMBLY: The Cushioned seat inner is made of injection moulded glass filled poly-amide. Upholstered seat sub-assembly consists of moulded High Resilience (HR) Polyurethane foam of Density <math>45 \pm 2 \text{ kg/m}^3</math>, and hardness load <math>16 \pm 2 \text{ kgf}</math> as per IS:7888 for 25% compression.*Seat SIZE: 45.5cm. (D) x 52.4cm. (W)BACK ASSEMBLY: The Cushioned back is made of PU Foam with Polypropylene Injection molded Plastic Inner.*HIGH BACK SIZE: 50.5 cm. (W) x 76.7 cm. (D)ARMRESTS: The armrest having four range of adjustment. Height adjustment sub assembly is inserted in the Aluminum Die Cast Arm body &amp; all other adjustment are provided in adjustable arm top sub assembly. Up-Down adjustment has 8 position (10.5±0.5cm range). Arm top swivel adjustment- 2 position, <math>12^\circ \pm 2^\circ</math> swivel inside. Arm top width adjustment - Any position (2.0±0.5cm range each arm top). Arm top To - Fro Adjustment- any position (4.0±0.5cm range). Armrest top is made up of high density PU molded over glass filled Poly-amide inner.POSTURE PERFECT MECHANISM: The adjustable tilting mechanism is designed with the following features: 360° revolving type. Forward tilt of seat and back. Upright tilt lock. Tilt tension adjustment can be operated in seating position. 3-position Tilt limiter.SEAT DEPTH ADJUSTMENT: Seat depth adjustment is housed below the seat and integrated with the mechanism with help of Polypropene Seat cover. Seat Depth can be adjusted in sitting position. Seat depth adjustment range is of <math>5.0 \pm 0.5 \text{ cm}</math>.ADJUSTABLE BACK SUPPORT: Back Assembly is connected to buff polish die cast aluminum Spine with an Up-Down mechanism assembly. Back Height can be adjusted in sitting position. It can be adjusted in the range of <math>7.5 \pm 0.5 \text{ cm}</math>.PNEUMATIC HEIGHT ADJUSTMENT: The heavy duty class 4 pneumatic height adjustment has an adjustment stroke of <math>13.0 \pm 0.3 \text{ cm}</math>.PEDESTAL: The pedestal is made of die-cast aluminium with buffing finish. It is fitted with 5nos. twin wheel castor. The pedestal is <math>67.0 \pm 0.5 \text{ cm}</math> pitch-center dia.TWIN WHEEL CASTOR: 5 Nos. twin wheel soft castors are injection moulded in Poly-amide with PU lining, having <math>6.5 \pm 0.1 \text{ cm}</math> wheel Diameter and assembled to pedestal.WIDTH (W): 74.0 CM.DEPTH (D): 74.0 CM.HEIGHT (H): 112.0 - 132.5 CM.SEAT HEIGHT (SH): 44.5 - 58.0 CM.This product should be certified by GREENGUARD GOLD &amp; GREEN PRO.</p> | 3 |
|-----|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|

Signature of Contractor

Page 47 of 65

Signature of authorised  
Deptt. Officer



|     |                        |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |   |
|-----|------------------------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| 49. | High Chair<br>(Type-4) | Back<br>(Type-4) | <p>SEAT/BACK ASSEMBLY: The seat is made up of 1.5 ±0.1cm. thick hot-pressed plywood and upholstered with fabric upholstery covers and moulded Polyurethane foam. The seat has extra thick foam on front edge to give comfort to popliteal area.</p> <p>The Back is injection moulded in glass filled Polypropylene which is upholstered with Mesh fabric. The back consist of adjustable lumbar support made of injection moulded Polypropylene having an adjustment of 5.0 ±0.1 cm.</p> <p>The chair seat &amp; back size are :</p> <p>*SEAT SIZE 53.5 cm. (W) x 51.0 cm. (D)*MESH BACK SIZE 51.0 cm. (W) x 70.0 cm. (H)</p> <p>HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR polyurethane seat foam is moulded with density 45±2 kg/m<sup>3</sup> and hardness 16±2 kgf as per IS:7888 for 25% compression.</p> <p>ARMRESTS :The adjustable armrest is designed with the following features : Up-Down adjustment– 6 steps (7.2 ± 0.5cm range)</p> <ul style="list-style-type: none"> <li>· Armrest top is mounted on Armrest structure made of glass filled Nylon.</li> <li>· Armrest Top is PU moulded over glass filled Nylon insert.</li> </ul> <p>CENTER TILT SYNCHRO MECHANISM WITH MULTI LOCK : The mechanism is designed with the following features:</p> <ul style="list-style-type: none"> <li>· 360° revolving type.</li> <li>· 3 position locking with anti shock mechanism.</li> <li>· Tilt tension adjustment</li> </ul> <p>PNEUMATIC HEIGHT ADJUSTMENT: The pneumatic height adjustment with an adjustment stroke of 9.5 ± 0.3cm.</p> <p>PEDESTAL ASSEMBLY : The pedestal is injection moulded in glass-filled Nylon and fitted with 5 nos. twin wheel castors. The pedestal is 66.1 ±0.5cm. pitch-center dia. (76.1 ±1.0cm with castors).</p> <p>TWIN WHEEL CASTORS : The twin wheel castors are injection moulded in Black Nylon.</p> <p>WIDTH (W): 76.1 CM.</p> <p>DEPTH (D): 76.1 CM.</p> <p>HEIGHT (H): 117.0 - 130.0 CM.</p> <p>SEAT HEIGHT (SH): 44.5 - 54.0 CM.</p> | 4 |
|-----|------------------------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|

Signature of Contractor

Page 48 of 65

Signature of authorised  
Deptt. Officer



|     |                        |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |    |
|-----|------------------------|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 50. | High Chair<br>(Type-5) | Back (Type-5) | <p>SEAT/BACK ASSEMBLY: The back is made up of 1.2 ±0.1cm. thick hot-pressed plywood &amp; seat is made up of 1.5 ±0.1cm. thick hot-pressed plywood measured and upholstered with fabric upholstery covers and moulded Polyurethane foam. The back foam is designed with contoured foam lumbar support. The seat has extra thick foam on front edge to give comfort to popliteal area. The Recron filling done in seat &amp; back (Executive chairs only) for extra fluffiness and comfort in chair. The chair seat &amp; back size are HIGH BACK SIZE 51.5 cm. (W) x 82.0 cm. (H) SEAT SIZE 53.5 cm. (W) x 51.0 cm. (D) HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR polyurethane foam is moulded with density = 45±2 kg/m<sup>3</sup> and hardness load 14 ± 2 kgf as per IS:7888 for 25% compression. ARMRESTS : The 3-way adjustable armrest is made of die-cast aluminium with buffing finish designed with the following features : Up-Down adjustment—7 steps (7.0 ± 0.5cm range) It has to &amp; fro movement along with Swivel adjustment. CENTER TILT SYNCHRO MECHANISM WITH MULTI LOCK : The mechanism is designed with the following features: 360° revolving type. 3 position locking with anti shock mechanism. Tilt tension adjustment PNEUMATIC HEIGHT ADJUSTMENT : The pneumatic height adjustment has an adjustment stroke of 9.5 ± 0.3 cm. PEDESTAL ASSEMBLY : The pedestal is made of die-cast aluminium with buffing finish. It is fitted with 5nos. twin wheel castor. The pedestal is 67.0 ± 0.5cm pitch-center dia. (77.0 ± 1.0cm with castors). TWIN WHEEL CASTORS : The twin wheel castors are injection moulded in Black Nylon. WIDTH (W): 77.0 CM. DEPTH (D): 77.0 CM. HEIGHT (H): 110.5-120.5 CM. SEAT HEIGHT (SH): 44.5-54.5 CM.</p> | 27 |
|-----|------------------------|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|

Signature of Contractor

Page 49 of 65

Signature of authorised  
Deptt. Officer



|     |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |
|-----|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 51. | High Back Chair (Type-6) | <p>Providing, supplying and placing of High Back Chair. SEAT/BACK ASSEMBLY: The Cushioned seat should be made of Injection molded Plastic outer &amp; inner. Plastic Inner should be upholstered with pure leather and moulded High Resilience (HR) Polyurethane foam of Density <math>45 \pm 2</math> kg/m<sup>3</sup>, and hardness load <math>16 \pm 2</math> kgf for 25% compression. The Cushioned back should be made of PU Foam with insitu moulded MS E.R.W Round Tube of size <math>1.9 \pm 0.03</math> cm x <math>0.16 \pm 0.0128</math> cm. It upholstered with Pure Leather.</p> <p>Seat SIZE : 47.6 cm. (W) x 49.2 cm. (D)</p> <p>BACK SIZE : 47.5 cm. (W) x 77 cm. (D)</p> <p>ARMRESTS: The armrest top should be moulded from polyurethane(PU), upholstered in pure leather and mounted on to a drop lift adjustable type tubular armrest support made of <math>03.81 \pm 0.03</math> cm x <math>0.2 \pm 0.01</math> cm thk M.S E.R.W tube having chrome plated finish. The armrest height adjustable up to <math>6.5 \pm 0.5</math> cm in 5 steps.</p> <p>ACTIVE BIO-SYNCHRO MECHANISM: The adjustable tilting mechanism should be designed with the following features:</p> <ul style="list-style-type: none"> <li>• 360° revolving type.</li> <li>• Front-pivot for tilt with feet resting on ground and continuous lumbar support ensuring more comfort.</li> <li>• Tilt tension adjustment can be operated in seating position.</li> <li>• 5-position Tilt limiter giving option of variable tilt angle to the chair.</li> <li>• Seat/back tilting ratio of 1: 2</li> <li>• The mechanism housing should be made up of HPDC Aluminium black powder coated.</li> </ul> <p>SEAT DEPTH ADJUSTMENT: Seat depth adjustment should be integrated in the seat through a sliding mechanism. Seat depth adjustment range should be of <math>6.0 \pm 0.5</math> cm.</p> <p>ADJUSTABLE BACK SUPPORT: Back Frame should be connected to the Up/Dn mechanism housed in Plastic T spine. It can be adjusted in the range of <math>7.42 \pm 0.5</math> cm for the comfortable back support to suit individual need.</p> <p>PNEUMATIC HT. ADJUSTMENT: The pneumatic height adjustment has an adjustment stroke of <math>10.0 \pm 0.3</math> cm.</p> <p>PEDESTAL ASSEMBLY The pedestal should be High Pressure Die cast polished Aluminium and fitted with 5 nos. twin wheel castors. The pedestal should be <math>65.0 \pm 0.5</math> cm. pitch-center dia. (<math>75.0 \pm 1.0</math> cm. With castors.)</p> <p>TWIN WHEEL CASTORS: The twin wheel castors should be injection moulded in Black Polypropylene.</p> <p>Overall Dimensions of Chair<br/>         Seat Height -44.5 to 54.5 cm.<br/>         Height -114.0-131.5 cm.<br/>         Width &amp; Depth of Chair as measured from base - Width-76.1 cm and Depth-76.1 cm</p> <p>This product should be certified by Indoor Advantage GOLD, GREENGUARD GOLD, BIFMA Level 2 &amp; GREEN PRO.</p> | 14 |
|-----|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|

Signature of Contractor

Page 50 of 65

Signature of authorised  
Deptt. Officer



|     |                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |
|-----|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 52. | Library Chair                     | WOOD UNDERSTRUCTURE ASSEMBLY:The under structure is made up of solid steamed beech wood of first grade and adjustable plinth screw.U/S ASSEMBLY: 51.7cm (W) X 50cm (D) X 36.7cm (H)SEAT ASSEMBLY:The seat is made up of 1.2 ± 0.1 cm thick hot - pressed plywood moulded by High Resilience PU foam [Density:65 ± 5kg/cu.m] and upholstered with fabric.SEAT ASSEMBLY: 49.5cm (W) X 47.6cm (D) X 8.3cm (H).BACK ASSEMBLY:The back is made up of Dia. 1cm ms rod [IS:2062] and 0.6cm thk HR plate [IS:2062] welded together and moulded by High Resilience PU foam [Density:65 ± 5kg/cu.m] and upholstered with fabric.BACK ASSEMBLY: 62.5cm (W) X 49.7cm (D) X 46.5cm (H).Width: 62.5cmDepth: 63.3cmHeight: 78.4cmSeat Height: 45cm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 10 |
| 53. | Library table                     | Insight 900 W size shall be 900 Width mm x 900 Depth mm x 740 Height mm. The top shall be 25 mm thick PLB with 2 mm thick PVC Edge Beading plus the Understructure shall be having C - Frames 1.6 mm thick MS supporting the top. The Legs shall be of dia. 38.1 x 1.6 mm thick MS ERW tube.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 8  |
| 54. | Main Desk with Side Unit (Type-1) | Supplying and placing in position Main Table of the following specifications. Its size shall be 1804 Width x 450 Depth x 750 Height. Top shall be made up of PVC membrane pressed of 25 mm thick MDF - one side laminate board with 0.4 mm PVC membrane Pressed on to tops. The top shall be having duck nose and half round profile edges and top is made in only one finish which is European Ash.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 2  |
| 55. | Main Desk with Side Unit (Type-2) | Supplying and placing in position Main table of the following specifications. The Main table shall be of size 2400 Width mm x 1050 mm Depth x 750 mm height. Top surface of the table shall made up of MDF (Medium density fibre) board duly finished with Veneer and final coating of PU. The Main desk should contain in built key board pull out tray for keeping keyboard of computer. The front modesty panel of the table shall be made up of MDF board of size 1640 mm x 600 mm x 16mm which shall also be duly finished with Veneer and PU coating. For personal storage one mobile pedestal (3 drawer unit) shall be provided of size 510 mm Width x 635 mm Height and 445 mm Depth. The storage pedestal shall also be made up of MDF duly finished with veneer & final coating of PU. The Side shall be of size 1200mm Width x 445mm Depth x 660 mm Height. The side unit shall be made up of MDF board duly finished with Veneer and final finish by PU Coating. The design of the side unit shall be such that it can be placed on either side of the main table. The side unit shall contain open space for keeping cpu in extreme right side, one closed storage shutter at extreme left end & open space in the middle with one shelf for keeping files. The thickness of the top of the side unit shall be 25mm. | 4  |

Signature of Contractor

Page 51 of 65

Signature of authorised  
Deptt. Officer



|     |                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |    |
|-----|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 56. | Main Desk<br>with Side Unit<br>(Type-3) | <p>Finesse Table - 5026 size shall be 1500 Width mm x 750 Depth mm x 740 Height mm .Table top shall be 25 mm thick plain particle board (PPB) Clad with 0.6 mm thick post formed laminate and 1 mm thick backing laminate (bdl) .Flat edge Duly sealed with 2 mm thick PVC beading. The modesty shall be 18 mm thick plain particle board ( ) PPB Clad with 1.0 mm thick decorative laminate (DL) on both sides. Edge Sealed with 2 mm thick PVC beading.</p> <p>Finesse ERU -3616 LHS size shall be 1050 Width x 450 Depth x 705 Height. The top of Finesse ERU -3616 LHS shall be 25 mm thick plain particle board (PPB) Clad with 0.6 mm thick post formed laminate and 1 mm thick Backing Laminate ( BDL).Flat Edge duly sealed with 2 mm thick PVC beading. The Modesty shall be 18 mm thick plain particle board (PPB) Clad with 1.0 mm thick Decorative Laminate (DL) on both sides. Edge sealed with 2 mm thick PVC Beading.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 4  |
| 57. | Main Desk<br>with Side Unit<br>(Type-4) | <p>Supplying and placing in position Main Table, ERU &amp; pedestal of the following specifications. 2100x2250x750 Primary Work Surface Made of 25mm thick MDF one side pre-laminate board confirming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top Soft closing access flap with in-build power box are provided on work surface for wire management</p> <p>Secondary Work Surface Made of 25mm thick MDF one side pre-laminate board confirming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top.</p> <p>Modesty Panel Made of 25mm thick MDF one side pre-laminate board confirming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top.</p> <p>Under structure Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping.</p> <p>Integrated Pedestal Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping.</p> <p>Drawer fronts made of 25mm thick MDF one side pre-laminate board confirming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top.</p> <p>Pedestal construction is BOX-BOX-FILE type which Uses powder coated 400 MM long metal</p> <p>Panel Drawer Slides. Drawer extension is 325 MM.</p> <p>Drawers have a soft closing &amp; anti slam mechanism.</p> <p>Handles are provided for ease of opening.</p> <p>Pedestals are provided with lock for security.</p> <p>This product should be certified by GREENGUARD, Indoor Advantage GOLD &amp; GREEN PRO.</p> | 14 |

Signature of Contractor

Page 52 of 65

Signature of authorised  
Deptt. Officer



|     |                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |
|-----|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 58. | Main Desk<br>with Side Unit<br>(Type-5) | Supplying and placing in position Main table of the following specifications. The Main table shall be of size 1800 Width mm x 900 mm Depth x 750 mm height. Top surface of the table shall made up of MDF (Medium density fibre ) board duly finished with Veneer and final coating of PU. The Main desk should contain in built key board pull out tray for keeping keyboard of computer. The front modesty panel of the table shall be made up of MDF board of size 1640 mm x 600 mm x 16mm which shall also be duly finished with Veneer and PU coating. For personal storage one mobile pedestal (3 drawer unit) shall be provided of size 510 mm Width x 635 mm Height and 445 mm Depth. The storage pedestal shall also be made up of MDF duly finished with veneer & final coating of PU. The Side shall be of size 1200mm Width x 445mm Depth x 660 mm Height. The side unit shall be made up of MDF board duly finished with Veneer and final finish by PU Coating. The design of the side unit shall be such that it can be placed on either side of the main table. The side unit shall contain open space for keeping cpu in extreme right side, one closed storage shutter at extreme left end & open space in the middle with one shelf for keeping files. The thickness of the top of the side unit shall be 25mm. | 21 |
| 59. | Main Desk<br>with Side Unit<br>(Type-6) | Supplying and placing in position Main Table, ERU & pedestal of the following specifications. The Main table shall be of size 3600 Width mm x 1080 mm Depth x 750 mm height. Top surface of the table shall made up of MDF (Medium density fibre ) board duly finished with Veneer and final coating of PU. The Main desk should contain in Smart Case - space slides effortlessly in style. The mobile Pedestal shall be of size 480 Width mm x 640 Depth mm x 600 Height mm. Mobile pedestal shall be coated of MDF (medium density fiber) with veneer coating and PU coating .The ERU Top shall be of MDF (medium density fiber) board duly finished with veneer and final PU coating. Size of ERU top 1900 Width mm x 480 Depth mm x 550(not from ground with castors).The main desk is provided with the wire management system also there is perfect storage side unit .                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 2  |
| 60. | Meeting<br>Table-<br>Seater<br>Unitized | 6<br>Supplying and placing in position meeting table of the following specifications with overall size shall be 2100 X 1150 X 740.Work top-Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade conforming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Soft closing dual access flap provided for access to power supply and data cables. Understructure-The Under-structure consists of mixture of 25mm and 18mm Pre-laminated twin board of E1-P2 grade and approved shade conforming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Anodised aluminium alloy 63400 - WP profile is added at bottom edges for improving the aesthetics. The product has a knock-down construction.<br>Wire Management- A wire raiser made of 0.8mm CRCA MS IS:513. It is epoxy polyester powder coated (DFT 40-60 microns) for flow of wires and cables. A Power box with 2 cutouts on either sides for standard 8 module Anchor Roma is provided. Beside each cutout, an additional cutout with plate is provided for mounting Audio Visual Cables(eg. HDMI,VGA-A, etc). This product should be certified by GREENGUARD, Indoor Advantage GOLD, GRIHA & SVAGRIHA & GREEN PRO.                                                                                            | 1  |

Signature of Contractor

Page 53 of 65

Signature of authorised  
Deptt. Officer



|     |                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |
|-----|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 61. | Metal Pedestal     | The overall size of Nova Free Standing Full Height Pedestal shall be 390 x 435 x 646 (WDH) mm. Top shall be made up of 0.6mm thick CRCA metal 'D' grade sheet and Body Shell, Side Stiffeners & bottom shall be made up of 0.8mm thick CRCA 'D' grade sheet. Drawer Fronts shall be made up of 0.6mm thick CRCA metal. Drawers to be provided for Box-Box-File configuration. The storage shall have double extension precision ball slides for all drawers. Finish: All exposed metal surfaces shall be Epoxy Polyester Powder Coated to the thickness of 50 microns (±10). The drawer fronts shall be provided with handle-less design for a streamlined look. Handle-less pull shall be created by sidewise tapered recess provided in Shell behind the Drawer Fronts. Cam Lock & Central RH locking with actuator lever & locking channel mechanism should be provided for safe storage of documents.                                                                                                                                                                                                                                                                       | 7  |
| 62. | Modular Almira     | The overall size of single hinged door unit shall be 450 x 430 x 1950 (WDH) mm. The Body shall be aesthetically appealing plain, made from a combination of Dent Resistance 0.5 mm & CRCA 0.8 mm. The Hanging rod shall be made of 1.0mm thk. MS ERW oblong tube and Legs shall be fitted with Screw type leveler. The construction shall be Completely Knock down. Finish: All MS sheet metal and metal frame components shall be powder coated with epoxy polyester powder to the thickness of 50-60 microns. Hardware shall include high quality standard hardware like screw, washer, shelf supports, lock [make-CL], Door hinges [Make-Hettich], bumpers, etc. Carton shall be one packet.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 81 |
| 63. | Pillow             | Providing, supplying and placing of Pillow.<br>Size (in cm): 43 x 69<br>Fibres : 15 Dn Conjugated silconized Fabre weight - 650 Fabric - Flower Embossed 90 GSM Polyester Packaging - Nonwoven Fabric Packaging                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 91 |
| 64. | Queen Bed (Type 1) | Providing, supplying and placing of Queen Bed. Overall Size :Length - 2060.0 mm Width - 1733.0 mm Height - 945.0 mm<br>Material: Bed Structure consist of metal frames made of M.S. Channels in 1.0 mm Thickness. Horizontal plinths and bottom plinth are made of 25 mm Thick Prelaminated Particle Board. Plinth support assembly is made of M.S. 25 mm square pipe in 1.2 mm thickness. Head board is made of 18 mm thick Prelaminated Particle board with imported H.D.F. foil wrapped decorative trims fixed to it. Tail board is made of 18 mm thick Prelaminated Particle board with imported H.D.F. foil wrapped decorative trims fixed to it. Side rail is made of 18 mm thick Prelaminated Particle board with imported H.D.F. foil wrapped decorative trims fixed on to it. Mattress panels of Bed are made of 18 mm thick Prelaminated Particle Board with all the exposed edges are edge banded with 0.8 mm thick PVC edge banding. Construction: Knock Down construction. Packets:1 Bed in 2 packets. Finish:18 mm thick Prelaminated Particle Board is in Walnut shade. Metal frames are powder coated in shade Mat Black to the thickness of 50 microns(+/-10). | 1  |
| 65. | Queen Bed (Type 2) | Providing, supplying and placing of Queen Bed.Dimensions W x H x D (cm) - 200 x 104 x 153Net Weight (kg)- 140.8Primary Material Subtype - CRCA SteelFinish Color - Dark BrownStyle - Contemporary & ModernRecommended Mattress Size - Depth : 198.1 cm (78"), Width : 152.4 (60"), Minimum Thickness : 10.2 cm (4")Primary Material - Solid WoodStorage Included - YesStorage Mechanism - Box StorageWarranty - 1 Year WarrantyDelivery Condition - Knock DownHeadboard Included - Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 2  |

Signature of Contractor

Page 54 of 65

Signature of authorised  
Deptt. Officer



|     |                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |   |
|-----|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| 66. | Queen Bed Mattress | <p>Providing, supplying and placing of Mattress.<br/>Thickness: 10 cm / 12.5 cm<br/>As intelligent as a mattress can get. A mix of different foams provides support and regularizes pressure points. Convolved foam in the topmost layer maintains airflow and enhances the comfort level by giving a feeling of acupressure to the body. A bonded foam in the base provides direct support, while a layer of softy foam in (5" variant) the middle provides indirect support to the reclining body.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 2 |
| 67. | Reception Desk     | <p>Providing &amp; Placing Reception Desk with following details and specifications : Reception Counter of size: 3000W1 x 750/300D x 1050/740Hmm Top &amp; Legs are made up of 38mm thick E1 grade laminate with 2mm thk PVC Edge banding and Melamine finish. Front hanging panel is madeout of 18mm thick Decorative E1 Grade board. The product should be from approved make, Complete as per specification mentioned above &amp; image under the guidance and approval of project architect/consultant &amp; engineer in charge. Drawer Unit : 3 drawer Melamine (Box+Box+File) pedestal of overall dimensions internal and external dimensions 420 mm (W) x 450 mm (D) x 600 mm ( H). Drawer body should be made of E1 grade laminate. The exposed edge of worktop shall be secured with 2mm thick PVC edge banding tape of approved colour.E1 Grade laminate to be used which provide no urea formaldehyde emission and formaldehyde should be phenol base with emission of not more than (<math>\leq</math> 8mg/100 g oven dry board-perforated method) for better in-house quality. This should comply with (EN 120-1892).Product should be BIFMA gold rated SCS global certified for inhouse air quality and with 05 years warranty.</p> | 2 |
| 68. | Recliner Seater    | <p>The overall size of the Recliner shall be 850 mm width x 1050 mm height &amp; depth 895mm and 1575mm when reclined. Height of the armrest from the ground level shall be 600 mm. overall width of the armrests including top flap shall be 130 mm. The recliner shall electrically operated and handheld remote shall be provided along with the recliner attached with flexible wire. The user shall be able to recline fully with the help of remote and the foot resting flap shall automatically come out from below to expand the body to give comfort. The recliner shall also have the lifting feature within remote to push the body from back &amp; enable the user to get up from the recliner easily if required. The user touch surface of the recliner shall be upholstered with Pure Leather and the other one shall be in matching leatherite. Tolerance of +/- 5mm to be considered for product sizes i.e. Length, Depth &amp; height and tolerance of 5% to be considered in pipe thickness &amp; Pipe sizes.</p>                                                                                                                                                                                                             | 3 |

Signature of Contractor

Page 55 of 65

Signature of authorised  
Deptt. Officer



|     |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |    |
|-----|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 69. | Single Bed<br>(Type-1) | Providing, supplying and placing of Single Bed. Overall Size :Length - 2060.0 mm Width - 1131.0 mm Height - 945.0 mm<br>Material: Bed Structure consist of metal frames made of M.S. Channels in 1.0 mm Thickness. Horizontal plinths and bottom plinth are made of 25 mm Thick Prelaminated Particle Board. Head board is made of 18 mm thick Prelaminated Particle board with imported H.D.F. foil wrapped decorative trims fixed to it. Tail board is made of 18 mm thick Prelaminated Particle board with imported H.D.F. foil wrapped decorative trims fixed to it. Side rail is made of 18 mm thick Prelaminated Particle board with imported H.D.F. foil wrapped decorative trims fixed on to it. Mattress panels of Bed are made of 18 mm thick Prelaminated Particle Board with all the exposed edges are edge banded with 0.8 mm thick PVC edge banding. Construction :Knock Down construction. Packets : 1 Bed in 1 packets. Finish :18 mm thick Prelaminated Particle Board is in Walnut shade. Metal frames are powder coated in shade Mat Black to the thickness of 50 microns(+/-10). | 5  |
| 70. | Single Bed<br>(Type-2) | Supplying of APO Single Bed as per the following specification. Overall Dimension of the bed should be 1980W x 915D x 650H mm. Bed Stead Height: 400mm. BED FRAME: BED FRAME ASSEMBLY IS A WELDED OF SIDE FRAME, INNER SLAT. THE SIDE FRAME ARE MADE ASSEMBLY OF RECT.PIPE 50.8 X 25.4 X 1.2 mm THK MS, ASSEMBLY INNER SLATS OF SQ. TUBE 19 X 1.0 mm MS ERW TUBE IS: 7138. HEAD BOARD & TAIL BOARD:- HEAD BOARD & TAIL BOARD ARE MADE UP OF SQ. PIPE 38.1 X 1.2 mm & SQ. 25.4 X 1.0 mm THK MS ERW TUBE IS: 7138 and SUPPORT BRACKET 3.2MM THK MS SHEET IS: 513 HEAD/TAIL BOARD CONNECTED WITH BED FRAME WITH M8 BOLT FINISH: EPOXY POLYESTER P.COAT-COLOUR(AS PER WORKS ORDER)-DFT 40-60 MICRON. CLADDING: CRCA 1.2 THK                                                                                                                                                                                                                                                                                                                                                                              | 4  |
| 71. | Single Bed<br>(Type-3) | Providing, supplying and placing of Single BedOverall Size : Length - 2060.0 mm Width - 1119.0 mm Height - 900.0 mmMaterial:Bed Structure consist of metal frames made of M.S. 25 mm squarePipes in 1.2 mm Thickness & M.S. Channels in 1.0 mm thickness. Partition Panels & Plinths are made of 25 mm Thick Prelaminated Particle Board.Head board & Tail board is made of 25 mm thick Prelaminated Particle board. All the exposed edges are edge banded with 2.0mm thick PVC edge. Side board & mattress panels of Bed are made of 18 mm thick Prelaminated Particle Board with all the exposed edges edge banded with 0.8 mm thick PVC edge banding. Construction : Knock Down construction. Packets : 1 Bed in 3 packets. Finish : 25 mm thick Prelaminated Particle Board is in maple shade.18 mm thick Prelaminated Particle Board is in maple shade.Metal frames are powder coated in shade Metallic Silver Grey tothickness of 50 microns(+/-10).                                                                                                                                           | 3  |
| 72. | Single Mattress        | Providing, supplying and placing of Single Bed Mattress of the following dimension. 78W x 36W x 4H inch. As intelligent as a mattress can get. A mix of different foams provides support and regularizes pressure points. Convuluted foam in the topmost layer maintains airflow and enhances the comfort level by giving a feeling of acupressure to the body. A bonded foam in the base provides direct support, while a layer of softy foam in (5" variant) the middle provides indirect support to the reclining body.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 89 |

Signature of Contractor

Page 56 of 65

Signature of authorised  
Deptt. Officer



|     |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |
|-----|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 73. | Steel Almirah         | Providing, supplying and placing of storage unit. Overall size Shall be 916mm(W)x486mm(D)x1981mm(H) with welded construction. It should have the shelf thickness of 0.7 mm, Back thickness of 0.8mm, Door thickness of 0.8mm (high yield strength) and all other components shall have a thickness of 0.9mm. These components shall be made of CRCA 'D' grade high yield strength as per IS:513. It should have a Mazak handle and Three way locking mechanism with Shooting Bolts. It should have a height wise adjustable shelf mounting which shall have a Uniformly Distributed Load Capacity of max 40 Kg. It should also have a M10 Screw type Leveller with Hex plastic base. The finishing shall include Epoxy powder coated to the thickness of 50 microns (+/- 10). Plenty of colour options and shelving options shall be available. This product should be certified by GREENGUARD, GRIHA, Indoor Advantage GOLD& GREEN PRO.                     | 20 |
| 74. | Storage unit (Type-1) | Providing, supplying and placing of Storage unit. Eco wooden storage range comprises of a range of Low height to medium height wooden SDU as per attached DMX drg. Body : Body is made from 18mm PLB with all the edges sealed with 0.8 mm thick PVC Edgeband. The Back panel is 9mm White PLT. The entire construction is ready to assemble unit and is assembled with suitable KD fittings. The shelves and separator panels (if available) is made from 18 mm white PLT and edges are sealed with 0.8 mm edge band. The bottom shelf is fixed and other shelves have one step adjustment for optimizing the space. Doors : Door Panels are made from 18 mm PLB with 2 mm Edge band on all edges and a flush Plastic handle is fitted vertically at the center of the door. The SDU runs in a PVC track mounted on the TOP and Bottom panel of the Body. SDU has a push type lock. All the storages are fitted with a 6 mm leveler at bottom for leveling. | 18 |
| 75. | Storage unit (Type-2) | The overall size of Low height storage shall be 1200 x 450 x 1200 (WDH) mm. Top shall be made up of 18mm thick pre laminated particle board E1 norms and Back shall be made up of 9 mm thick pre laminated particle board with 2mm PVC edge lipping, Shutters shall be made up of 18 mm thick pre laminated particle board. Shutters to be provided for compartment. The storage shall have adjustable shelf. Edge: All exposed shall be sealed with 2mm thick PVC edge lipping. The hinged doors top shall be provided with finger groove handle-less design for a streamlined look. Finger groove shall be created by providing a reverse tapered profile edge of 6mm straight surface & 12 mm tapered towards inside @ 45 degree & then sealed with minimum 2mm thick PVC lipping on automatic machine. Cam Lock facility should be provided for safe storage of documents.                                                                               | 18 |
| 76. | Storage unit (Type-3) | The overall size of Low height storage shall be 900W x 740H x 450D mm. Top shall be made up of 18mm thick pre laminated particle board E1 norms and Back shall be made up of 9 mm thick pre laminated particle board with 2mm PVC edge lipping, Shutters shall be made up of 18 mm thick pre laminated particle board. Shutters to be provided for compartment. The storage shall have adjustable shelf. Edge: All exposed shall be sealed with 2mm thick PVC edge lipping. The hinged doors top shall be provided with finger groove handle-less design for a streamlined look. Finger groove shall be created by providing a reverse tapered profile edge of 6mm straight surface & 12 mm tapered towards inside @ 45 degree & then sealed with minimum 2mm thick PVC lipping on automatic                                                                                                                                                                 | 6  |

Signature of Contractor

Page 57 of 65

Signature of authorised  
Deptt. Officer



|     |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |
|-----|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
|     |                | machine. Cam Lock facility should be provided for safe storage of documents.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |    |
| 77. | Study Table    | Providing, supplying and placing of Study Table. Overall Size : Width - 900mm Depth - 600mm Height - 713mm. Material : All panels are made of 18 mm thick Prelaminated Particle Board All the exposed edges are edge banded with 0.8 mm thick PVC edge banding. Hardware : The high quality hardware used like KD fittings, wooden dowels is of Make Ebco and Hettich. Construction: Knock Down construction. Packets: 1 packet. Finish: 18 mm thick. Prelaminated Particle Board is in IMPERIAL OAK Shade.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 2  |
| 78. | Training Chair | The overall size of Chair shall be: Total height 885 +/-5 mm, Back Width 415mm at Top and 470mm at bottom, Seat Width 490 +/-3 mm, Seat Depth 465+/-3 mm and Seat height 495mm +/-5mm . Over all chair width should be 600 +/-5mm and Overall chair depth should be 585 +/-5mm. Seat shall be upholstered with 100% polyster 180 GSM abrasion > 50000 cycles. No flamming or progressive smoldering within one hour of placement of the cigarettes. Fire rated fabric confirming to BS EN 1021 (match) should be used. The chair shall be supplied with Mesh at the back rest. The chair shall be supplied with injection moulded Back rest with material of PA620%GF. The Chair understructure should be provided with 25.4x1.6 mm thickness Round tube. understructure shall connected with 4nos 50mm dia Twin castors PA6 material complying to ANSI/ BIFMA X 5.1 2017 standards. the axle pin shall be rust protected zinc passivated. Understructure shall powder coated upto 40microns. Fixed arms connected to Back rest with Textured arm pad with size of 290x38x3.5mm. Understructure shall powder coated upto 40 to 60microns. Injection moulded ABS writing tablet with 370mm lenght, 265mm width and 10 thickness shall assembled for arm rest. Tolerance of +/- 5mm to be considered for product sizes i.e Length, Depth & height and tolerance of 5% to be considered in pipe thickness & Pipe sizes. finish. The OEM shall have ISO 9001, ISO 14001, Bifma Level 2, Green Guard by UL, India Design Mark & IGBC Gold rated factory certification. | 52 |

Signature of Contractor

Page 58 of 65

Signature of authorised  
Deptt. Officer



|     |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |    |
|-----|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 79. | Visitor Chair<br>(Type-1) | <p>Providing, supplying and placing of Visitor Chair. SEAT/BACK ASSEMBLY: The Cushioned seat should be made of Injection molded Plastic outer &amp; inner. Plastic Inner should be upholstered with stitched cover and moulded High Resilience Polyurethane foam of Density <math>45 \pm 2</math> kg/m<sup>3</sup>, and hardness load <math>16 \pm 2</math> kgf for 25% compression. The stitched cover should be made from spacer fabric and leatherette. Cushioned back should be made of PU Foam with insitu molded MS E.R.W Round Tube of size <math>1.9 \pm 0.03</math> cm x <math>0.16 \pm 0.0128</math> cm. It upholstered with spacer fabric and leatherette.</p> <p>Seat SIZE : 47.0 cm. (W) x 48.0 cm. (D)<br/>BACK SIZE : 45 cm. (W) x 60.5 cm. (D)</p> <p>Visitor TUBULAR FRAME: The powder coated (DFT 40-60 micron) tubular frame should be cantilever type &amp; made of <math>02.54 \pm 0.03</math> cm x <math>0.2 \pm 0.016</math> cm thk MS ERW tube. The back connected to frame through powder coated (DFT 40-60 micron) high pressure die cast connector piece.</p> <p>Overall Dimensions of Chair<br/>Seat Height - 44.8cm.<br/>Height - 99.5cm.<br/>Width-60.9 cm and Depth-64.3 cm</p> <p>This product should be certified by Indoor Advantage GOLD, GREENGUARD GOLD, BIFMA Level 2 &amp; GREEN PRO.</p> | 56 |
| 80. | Visitor Chair<br>(Type-2) | <p>Providing, supplying and placing of Visitor Chair as per the following specification. SEAT ASSEMBLY: The Cushioned seat inner is made of injection moulded glass filled poly-amide. Upholstered seat sub-assembly consists of moulded High Resilience (HR) Polyurethane foam of Density <math>45 \pm 2</math> kg/m<sup>3</sup>, and hardness load <math>16 \pm 2</math> kgf as per IS:7888 for 25% compression. Seat SIZE: 45.5cm. (D) x 52.4cm. (W)</p> <p>BACK ASSEMBLY: The Cushioned back is made of PU Foam with Polypropylene Injection molded Plastic Inner. PEDESTAL: The pedestal is made of die-cast aluminium with buffing finish. This product should be certified by GREENGUARD GOLD &amp; GREEN PRO.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 12 |
| 81. | Visitor Chair<br>(Type-3) | <p>THRILL CHAIR UPPERSTRUCTURE: It is a single shell <math>1.2 \pm 0.1</math> cm. thick hot pressed plywood with moulded polyurethane foam on top &amp; backing foam on rear side. It is upholstered with option of knitted &amp; leatherette fabric. The seat has extra thick foam on front edge to give comfort to popliteal area. The foam backing done in back ( Executive chairs only) for extra fluffiness and comfort in chair.</p> <p>SEAT &amp; BACK HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR polyurethane foam for seat and back is moulded with density <math>45 \pm 2</math> kg/m<sup>3</sup> and Hardness load <math>16 \pm 2</math> kgf as per IS:7888 at 25% compression.</p> <p>M.S. VISITOR TUBULAR FRAME (For Thrill Visitor chair): The powder coated (DFT 40-60 micron) tubular frame is cantilever type &amp; made of <math>02.54 \pm 0.03</math> cm x <math>0.2 \pm 0.016</math> cm thk MS ERW tube.</p>                                                                                                                                                                                                                                                                                                                                                                                             | 6  |

Signature of Contractor

Page 59 of 65

Signature of authorised  
Deptt. Officer



|     |                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |   |
|-----|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| 82. | Wardrobe<br>(Type-1) | <p>Providing, supplying and placing of wardrobe. Overall Size including top cornice : Width - 946.0 mm Depth - 598.0 mm Height - 1941.0 mm<br/> Material : Body panels are made of 18 mm thick Prelaminated Particle Board. All the exposed edges are edge banded with 0.8 mm thick PVC edge banding. Door are made of 18 mm thick Prelaminated Particle board with all the exposed edges are edge banded with 0.8 mm thick PVC edge banding. Side panel are made of 18 mm thick Prelaminated Particle board with all the exposed edges are edge banded with 0.8 mm thick PVC edge banding and with imported H.D.F. foil wrapped decorative trim fixed on to it. Drawer components are made of 18 mm thick Prelaminated Particle Board. All the exposed edges are edge banded with 0.8 mm thick PVC edge banding. Body back and drawer bottom are made of 8 mm thick Prelaminated particle board. Top cornice is made of imported H.D.F. foil wrapped decorative Trim. Mirror used on the door is 4 mm thick.<br/> Hardware : The high quality hardware used like Roller slides, Hinges, mini fix, wooden dowels is of make Hettich.. Lock used for main door is 3 way lock and lock used for drawer is cam lock<br/> Construction : Knock Down construction. Packets: 2 packet. Finish:. 18 mm thick Prelaminated Particle Board is in Walnut shade.</p> | 1 |
| 83. | Wardrobe<br>(Type-2) | <p>Providing, supplying and placing of wardrobe Overall Size<br/> Depth - 881 mm<br/> Width - 545 mm<br/> Height - 1910 mm<br/> Material - Body panels are made of 15 mm thick Prelaminated Particle Board of EN312, E2 grade. The edges are edge banded with 1mm thick PVC edge banding. Doors are made of 15 mm thick Prelaminated Particle Board of EN312, E2 grade with all the edges are edge banded with 1mm thick PVC edge banding. Drawer components are made of 15 mm thick Prelaminated Particle Board of EN312, E2 grade. All the edges are edge banded with 1mm thick PVC edge banding. Body back and drawer bottom are made of 9mm thick Prelaminated particle board of EN312, E2 grade.<br/> Hardware - The high-quality hardware used like Roller Slides, Hinges, mini fix, wood dowels. Lock used for main door is 3 way lock and lock used for drawer is cam lock.<br/> Construction - Knock Down construction</p>                                                                                                                                                                                                                                                                                                                                                                                                                       | 3 |
| 84. | Wardrobe<br>(Type-3) | <p>Providing, supplying and placing of Wardrobe.<br/> Overall Size<br/> Depth - 881 mm<br/> Width - 545 mm<br/> Height - 1910 mm<br/> Material - Body panels are made of 15 mm thick Prelaminated Particle Board of EN312, E2 grade. The edges are edge banded with 1mm thick PVC edge banding.<br/> Doors are made of 15 mm thick Prelaminated Particle Board of EN312, E2 grade with all the edges are edge banded with 1mm thick PVC edge banding.<br/> Drawer components are made of 15 mm thick Prelaminated Particle Board of EN312, E2 grade. All the edges are edge banded with 1mm thick PVC edge banding.<br/> Body back and drawer bottom are made of 9mm thick Prelaminated particle board of EN312, E2 grade.<br/> Hardware - The high-quality hardware used like Roller Slides, Hinges, mini fix, wood dowels.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 2 |

Signature of Contractor

Page 60 of 65

Signature of authorised  
Deptt. Officer



|     |                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |    |
|-----|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
|     |                             | <p>Lock used for main door is 3 way lock and lock used for drawer is cam lock.</p> <p>Construction - Knock Down construction</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |
| 85. | Workstation -<br>Pentagonal | <p>WISH PENTA 1500 Supply, Installation and placement of panel &amp; tile based modular penta workstation, with partition having Overall Dimension of Top: 1500 (L1)*1500 (L2)*600 (D)mm, table top height 750mm. The panels shall have 52.4 mm thickness to have more elaborate and flexible construction offering various functional and decorative finishes as well as cable management capacity. Partition thickness is combination of 52.4 mm &amp; 22.8 mm and height 1200 mm including powder coated aluminium MS. PANEL STRUCTURE: The uprights and horizontals shall be made of aluminum extrusion having material AL96063-T6 &amp; have average wall thickness of 1.2 mm &amp; powder coated with epoxy-polyester powder. Fabricated bottom frame shall comprise of L- Channels made of 2mm thick CRCA steel (IS:513), formed plates of 3mm thick HR steel (IS:2062) &amp; ERW steel tube of size 35x15x1.6mm in oval cross section (IS:7138) welded together. This shall be coated with average 50-to-60-micron thickness of epoxy powder coating. This shall be bolted to the uprights with M6 screws. The Top Tile shall slide into the panels from top before fixing the top horizontal. These tiles shall be supported from top &amp; bottom side with clips made from PP co polymer fitted in horizontal extrusion. The top tiles shall be of DL finish. The Intermediate Tiles shall be of laminate finish. Laminate finish blocks shall be made from 18mm thick paper honeycomb particle board (Pre Laminated Twin Board), clad with 1mm thick laminate of approved shade. The Bottom Tiles shall be press fitted on to the assembly frame of the panel with the help of snap-on clips made of nylon- 66 and support clips made from PP polymer. Metal finish blocks shall be made from two components of 0.8 mm thick M.S. CRCA Grade D as per IS: 513 powder coated with epoxy polyester finish. The return panels to be provided between two adjacent penta work surfaces and shall be made up of top and bottom screens. These shall be offered in shared conditions only. The finishes shall have the same specification as mentioned above. The top trims and end trims for 52.4 mm &amp; 22.8 mm shall be made from aluminum extrusion having material AL96063-T6. All kinds of extrusions for 52.4 mm and 22.8 mm shall have average wall thickness of 1.2 mm &amp; having finish of powder coating. Top trim in 52.4mm thick panel shall be press fitted on the horizontal extrusion. End trim for 52.4mm thick panel shall be slide fitted with the help of end trim connector made from 2.0mm thick M.S. CRCA Grade D as per IS: 513. End stability post shall be fitted at the</p> | 70 |

Signature of Contractor

Page 61 of 65

Signature of authorised  
Deptt. Officer



end of the free panel, to avoid movement of freestanding panels. The post shall be made in two parts.

1. The MS post which shall be grouted to the floor with Hilti make anchor bolts.

2. A cover extrusion of aluminium alloy shall cover the grouted MS stability bracket. The top end of the extrusion shall be covered with a powder coated aluminum cap.

The PANEL JOINERY POST shall be joined to each other directly with 180degree joinery or with the help of post as per the layouts, in combinations of 90° 2-way, 3 way & 4 way. The panel joinery post shall be made up of aluminium extrusion having material AL-96063-T6. It shall have average wall thickness of 1.2mm. It shall be coated with 50-to-60-micron thickness of epoxy powder coating. These joineries will be covered with die cast caps of powder coated aluminium alloy ADC 12. All the caps shall be press fitted on the respective extrusions. All the return panels of 22.8 mm thickness also to have the same panel configuration as to the main panel of 52.4 mm. Work top shall be made of 25mm thick Plain particle board of interior grade (As per IS: 12823) as a Substrate. The top shall be laminated with laminate of 0.6 mm thickness of approved shade as per IS: 2046-1995. Bottom shall have a backing laminate of 0.6 mm thickness.

All the edges of work surface shall be provided with machine pressed 2 mm thick PVC edge band glued with hotmelt EVA glue. Work top shall be mounted onto the partition panels for workstations by means of cantilever brackets made from 2.0 mm thick CRCA grade D steel as per IS:513-1994 duly pretreated and powder coated. The work surface shall be provided with circular (grommet) cut out of Dia.65mm as per the requirement, for passing of wires. These cut outs shall be provided with ABS covers. Work surface bracket shall be mounted on to the Horizontal extrusion. Work surface bracket shall be made from 2.0 mm thick CRCA grade D steel as per IS: 513-19. Ribs shall be provided in the bracket for strengthening purpose. All the work surfaces are to be mounted on the work surface brackets. Cable duct shall be made from 0.8 mm thick M.S. CRCA Grade D as per IS: 513 - 1994. It is constructed with two parts; one is body & another is cover. It holds the cables & gives aesthetic appearance by covering all cables entry, which are moving upward to the panels. KBPT, CPU Trolley and free-standing movable metal pedestal of dimension 646 X 390 X 585 in Box + Box + File Configuration shall be have below mentioned specifications:

KBPT: The all metal keyboard pullout tray consists of 3 components, Tray, Ball-slide & mouse tray. The metal tray consists of 0.9mm thick CRCA 'D' grade as per IS-513. Size of metal tray : 482W X 280D X 40H mm. 350mm long x 11.8mm thick single extension (Stroke : 230mm.) ball slide assembly made of combination of 1.2/1.5mm thick roll formed CRCA 'D' grade as per IS-513.

retrofit mouse tray is provided which could be fitted at right hand or left hand as per user requirement. Mouse tray size : 210mm x 210mm is made of 0.9mm thick CRCA 'D' grade as per IS-513. The KBPT is finished with powder coating of 60-80micron thickness. Overall Dimensions: 522mm W x 415mm D x 90mm H.

CPU Trolley: It consists of Metal Tray & castors. Tray is made of 1.0 mm thick MS CRCA Sheet and Side support is made of 0.8 mm thick MS CRCA Sheet with powder coating of 60-80micron thickness. Castor: Lockable/Nonlockable twin wheel castors are injection molded in Black Nylon. CPU Trolley Dimensions (mm) : 230 - 345 W x 226 D x 180 H.

Signature of Contractor

Page 62 of 65

Signature of authorised  
Deptt. Officer



|     |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |     |
|-----|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
|     |                           | <p>Pedestal Construction: Welded &amp; Assembled- a. 0.8thick CRCA for Body Shell, Side Stiffners &amp; bottom. b. 1.2thick CRCA* for Top and Bottom Stiffner. c. 0.6thick CRCA Metal top and drawer front d. 0.5thick CRCA Drawer tray and Drawer Back.e. -CRCA 'D' grade sheet as per IS-513. Drawer fronts: Metal Front Straight Edge. 18thick Wooden (Pre Laminated Particle Board) Front Full Straight Edge/ PVC Lipping on all Edges. Drawer specification: All Drawers with Double extension precision ball slide. 390 wide Pedestal File drawer- Suitable for Storing Full case files in Depth Wise manner. A4 files in Width Wise manner. For Drawer Pulling, Sidewise tapered recess provided in Shell behind the Drawer Fronts. Locking: Cam Lock &amp; Central Rh locking with actuator lever &amp; locking channel mechanism for Box Box-File' &amp; 3 Box Pedestal. Top Panel 0.8 mm thick Metal straight edge top. 18mm thick</p> <p>Wooden Top Post Formed (PPB+DL). 18mm thick Wooden (Pre Laminated Particle Board) straight Edge Top/PVC Lipping on all Edges. Castor: Swiveling non-lockable Castors mounted below the body shell. Finish: Epoxy Polyester Powder Coated to the thickness of 50 microns (±10). Architectural design &amp; features should be matching to indicative image. All items complete in all respect &amp; of approved colour &amp; shade as per direction of Furniture Tender Committee.</p> <p>Note: Only cutout is in furniture scope, switch &amp; sockets to be considered as extra.</p>        |     |
| 86. | Workstation - Rectangular | <p>WISH RECTA 1200: Supply, Installation and placement of spine and fin based modular workstation, with partition having Overall Dimension Worktop:1200 W *600 D*750 H mm .The panels shall have more elaborate and flexible construction offering various functional and decorative finishes as well as cable management capacity. Partition thickness is a combination of 52.4 mm &amp; 22.8 mm and of height of 1200 mm including powder coated aluminium trims.PANEL STRUCTURE: The uprights and horizontals shall be made of aluminum extrusion having material AL96063-T6 &amp; have average wall thickness of 1.2 mm &amp; powder coated with epoxy-polyester powder. Fabricated bottom frame shall comprise of L- Channels made of mm thick CRCA steel (IS:513), formed plates of 3mm thick HR steel (IS:2062) &amp; ERW steel tube of size 35x15x1.6mm in oval cross section (IS:7138) welded together. This shall be coated with average 50-to-60-micron thickness of epoxy powder coating. This shall be bolted to the uprights with M6 screws. The Top Tile shall slid into the panels from top before fixing the top horizontal. These tiles shall be supported from top &amp; bottom side with clips made from PP co-polymer fitted in horizontal extrusion. The top tiles shall be of DL make. It shall be fitted onto both sides of the panel using horizontal and vertical stiffeners made from 0.6 mm powder coated CRCA steel Grade D as per IS: 513. The Intermediate Tiles shall be of laminate finish. Laminate finish</p> | 122 |

Signature of Contractor

Page 63 of 65

Signature of authorised  
Deptt. Officer



blocks shall be made from 18mm thick paper honeycomb article board (Pre Laminated Twin Board), clad with 1mm thick laminate of approved shade. The Bottom Tiles shall be press fitted on to the assembly frame of the panel with the help of snap-on clips made of nylon-66 and support clips made from PP polymer. Metal finish blocks shall be made from two components of 0.8 mm thick M.S. CRCA Grade D as per IS: 513 powder coated with epoxy polyester finish. The return panels to be provided between two adjacent penta work surfaces and shall be made up of top and bottom screens. These shall be offered in shared conditions only. The finishes shall have the same specification as mentioned above. The top trims and end trims for 52.4 mm & 22.8 mm shall be made from aluminum extrusion having material AL96063-T6. All kinds of extrusions for 52.4 mm and 22.8 mm shall have average wall thickness of 1.2 mm & having finish of powder coating. Top trim in 52.4mm thick panel shall be press fitted on the horizontal extrusion. End trim for 52.4mm thick panel shall be slide fitted with the help of end trim connector made from .0mm thick M.S. CRCA Grade D as per IS: 513. End stability post shall be fitted at the end of the free panel, to avoid movement of freestanding panels. The post shall be made in two parts.

1. The MS post which shall be grouted to the floor with Hilti make anchor bolts.
2. A cover extrusion of aluminium alloy shall cover the grouted MS stability bracket. The top end of the extrusion shall be covered with a powder coated aluminum cap. The PANEL JOINERY POST shall be joined to each other directly with 180 degree joinery or with the help of post as per the layouts, in combinations of 90° 2-way, 3 way & 4 way. The panel joinery post shall be made up of aluminium extrusion having material AL-96063-T6. It shall have average wall thickness of 1.2mm. It shall be coated with 50-to-60-micron thickness of epoxy powder coating. These joineries will be covered with diecast caps of powder coated aluminium alloy ADC 12. All the caps shall be press fitted on the respective extrusions. All the return panels of 22.8 mm thickness also to have the same panel configuration as to the main panel of 52.4 mm. Work top shall be made of 25mm thick Plain particle board of interior grade (As per IS: 12823) as a Substrate. The top shall be laminated with laminate of 0.6 mm thickness of approved shade as per IS: 2046-1995. Bottom shall have a backing laminate of 0.6 mm thickness. All the edges of work surface shall be provided with machine pressed 2 mm thick PVC edge band glued with hot melt EVA glue. Work top shall be mounted onto the partition panels for workstations by means of cantilever brackets made from 2.0 mm thick CRCA grade D steel as per IS: 513-1994 duly pretreated and powder coated. The work surface shall be provided with circular (grommet) cutout of Dia. 65mm as per the requirement, for passing of wires. These cut outs shall be provided with ABS covers. Work surface bracket shall be mounted on to the Horizontal extrusion. Work surface bracket shall be made from 2.0mm thick CRCA grade D steel as per IS: 513-19. Ribs shall be provided in the bracket for strengthening purpose. All the work surfaces are to be mounted on the work surface brackets. Cable duct shall be made from 0.8 mm thick M.S. CRCA Grade D as per IS: 513-1994. It is constructed with two parts; one is body & another is cover. It holds the cables & gives aesthetic appearance by covering all cables entry, which are moving upward to the panels. KBPT, CPU Trolley and free-standing movable metal pedestal of dimension 646 X 390 X 585 in Box + Box + File Configuration as per below mentioned specification: KBPT: The all metal keyboard pull out tray consists of 3 components, Tray, Ball-slide & mouse tray. The metal tray consists of

Signature of Contractor

Page 64 of 65

Signature of authorised  
Deptt. Officer



0.9mm thick CRCA 'D' grade as per IS-513. Size of metal tray : 482WX 280D X 40H mm. 350mm long x 11.8mm thick single extension (Stroke : 230mm.) ball slide assembly made of combination of 1.2/1.5mm thick roll formed CRCA 'D' grade as per IS-513. retrofit mouse tray is provided which could be fitted at right hand or left hand as per user requirement. Mouse tray size: 210mm x 210mm is made of 0.9mm thick CRCA 'D' grade as per IS-513. The KBPT is finished with powder coating of 60-80 micron thickness. Overall Dimensions: 522mm W x 415mm D x 90mm H. CPU Trolley: It consists of Metal Tray & castors. Tray is made of 1.0 mm thick MS CRCA Sheet and Side support is made of 0.8 mm thick MS CRCA Sheet with powder coating of 60-80 micron thickness. Castor : Lockable/Non lockable twin wheel castors are injection molded in Black Nylon. CPU Trolley Dimensions (mm) : 230 - 345 W x 226 D x 180 H. Pedestal Construction: Welded Assembled- a. 0.8 thick CRCA for Body Shell, Side Stiffeners & bottom. b. 1.2 thick CRCA\* for Top and Bottom Stiffener. c. 0.6 thick CRCA Metal top and drawer front. d. 0.5 thick CRCA Drawer tray and Drawer Back. e. -CRCA 'D' grade sheet as per IS-513. Drawer fronts: Metal Front Straight Edge. Drawers specification: All Drawers with Double extension precision ball slide. 390 wide Pedestal File drawer- Suitable for Storing Full case files in Depth Wise manner. A4 files in Width Wise manner. For Drawer Pulling, Sidewise tapered recess provided in Shell behind the Drawer Fronts. Locking: Cam Lock & Central Rh locking with actuator lever & locking channel mechanism for Box Box-File & 3 Box Pedestal. Top Panel 0.8 mm thick Metal straight edge top. 18 thick Wooden Top Post Formed (PPB+DL). 18 thick Wooden (Pre Laminated Particle Board) straight Edge Top/PVC Lipping on all Edges. Castor: Swiveling non-lockable Castors mounted below the body shell. Finish: Epoxy Polyester Powder Coated to the thickness of 50 microns ( $\pm 10$ ). Architectural design & features should be matching to indicative image. All items complete in all respect & of approved colour & shade as per direction of Engineer In Charge. Note: Only cutout is in furniture scope, switch & sockets to be considered as extra.

Signature of Contractor

Page 65 of 65

Signature of authorised  
Deptt. Officer



**बिड दस्तावेज़ / Bid Document**

| बिड विवरण/Bid Details                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| बिड बंद होने की तारीख/समय /Bid End Date/Time                                  | 25-03-2026 11:00:00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time                                 | 25-03-2026 11:30:00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| बिड प्रस्तावक वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date) | 90 (Days)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| मंत्रालय/राज्य का नाम/Ministry/State Name                                     | Ministry Of Finance                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| विभाग का नाम/Department Name                                                  | Department Of Revenue                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| संगठन का नाम/Organisation Name                                                | Directorate Of Enforcement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| कार्यालय का नाम/Office Name                                                   | Kolkata Zonal Office                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| कुल मात्रा/Total Quantity                                                     | 1699                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| वस्तु श्रेणी /Item Category                                                   | fixed asset 1 , fixed asset 2 , fixed asset 3 , fixed asset 4 , fixed asset 5 , fixed asset 6 , fixed asset 7 , fixed asset 8 , fixed asset 9 , fixed asset 10 , fixed asset 11 , fixed asset 12 , fixed asset 13 , fixed asset 14 , fixed asset 15 , fixed asset 16 , fixed asset 17 , fixed asset 18 , fixed asset 19 , fixed asset 20 , fixed asset 21 , fixed asset 22 , fixed asset 23 , fixed asset 24 , fixed asset 25 , fixed asset 26 , fixed asset 27 , fixed asset 28 , fixed asset 29 , fixed asset 30 , fixed asset 31 , fixed asset 32 , fixed asset 33 , fixed asset 34 , fixed asset 35 , fixed asset 36 , fixed asset 37 , fixed asset 38 , fixed asset 39 , fixed asset 40 , fixed asset 41 , fixed asset 42 , fixed asset 43 , fixed asset 44 , fixed asset 45 , fixed asset 46 , fixed asset 47 , fixed asset 48 , fixed asset 49 , fixed asset 50 , fixed asset 51 , fixed asset 52 , fixed asset 53 , fixed asset 54 , fixed asset 55 , fixed asset 56 , fixed asset 57 , fixed asset 58 , fixed asset 59 , fixed asset 60 , fixed asset 61 , fixed asset 62 , fixed asset 63 , fixed asset 64 , fixed asset 65 , fixed asset 66 , fixed asset 67 , fixed asset 68 , fixed asset 69 , fixed asset 70 , fixed asset 71 , fixed asset 72 , fixed asset 73 , fixed asset 74 , fixed asset 75 , fixed asset 76 , fixed asset 77 , fixed asset 78 , fixed asset 79 , fixed asset 80 , fixed asset 81 , fixed asset 82 , fixed asset 83 , fixed asset 84 , fixed asset 85 , fixed asset 86 |
| GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS           | Dinning Chair and sofa                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

| बिड विवरण/Bid Details                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GeMARPTS में खोज गया परिणाम / Searched Result generated in GeMARPTS                                                                                                                                                          | Pedicure and Manicure Chair, Desk and Chair Set for Classroom/Training Area, Desk and Bench Set for Classroom/Training Area, Chair for General Purpose, Plastic and Plastic Moulded Products from Bhiwani, Haryana - ODOP, Sofa (V3), Plastic and Plastic Moulded Products from Sonapat, Haryana - ODOP, Hair Cutting Kit (Gujarat Govt), Wooden Furniture from Hoshiarpur - ODOP, Auditorium Chair (V2)                                                                                                                                               |
| अभिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification                                                                                                                                    | <ul style="list-style-type: none"> <li>Modular Control Desk</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| बीओक्व शीर्षक /BOQ Title                                                                                                                                                                                                     | Furniture for Directorate of Enforcement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)                                                                                                               | 197 Lakh (s)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| मूल उपकरण निर्माता का औसत टर्नओवर (गता 3 वर्षों का)/OEM Average Turnover (Last 3 Years)                                                                                                                                      | 1976 Lakh (s)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service                                                                                                               | 3 Year (s)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover                                                                                                                                                         | Yes   Complete                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover                                                                                                  | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| विक्रेता से मांगे गए दस्तावेज़/Document required from seller                                                                                                                                                                 | <p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p> |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ में नहीं है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)                                                                                                                                                                                                                                                                                                                                                                                 |
| बिड लगाने की सभ्य सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या / Minimum number of bids required to disable automatic bid extension                                                                                    | 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

| बिड विवरण/Bid Details                                                                                                                                                                |                             |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| दिनों की संख्या, जिनके लिए बिड सजने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended                                                                   | 7                           |
| ऑटो एक्सटेंशन अधिकतम गिनती कर दिया जाना है। / Number of Auto Extension count                                                                                                         | 3                           |
| विगत प्रदर्शन /Past Performance                                                                                                                                                      | 80 %                        |
| बिड से रिवर्स नोटिफिकेशन सक्रिय किया/Bid to RA enabled                                                                                                                               | No                          |
| बिड का प्रकार/Type of Bid                                                                                                                                                            | Two Packet Bid              |
| प्रथमिक उत्पाद श्रेणी/Primary product category                                                                                                                                       | fixed asset 1               |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation                                                    | 2 Days                      |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No                          |
| अनुमानित बिड मूल्य / Estimated Bid Value                                                                                                                                             | 49400000                    |
| मूल्यांकन पद्धति/Evaluation Method                                                                                                                                                   | Total value wise evaluation |
| मध्यस्थता कंड/Arbitration Clause                                                                                                                                                     | No                          |
| सुलझ कंड/Mediation Clause                                                                                                                                                            | No                          |

#### ईएमडी विवरण/EMD Detail

|                             |                     |
|-----------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईएमडी राशि/EMD Amount       | 2470000             |

#### ईपीबीजी विवरण /ePBG Detail

|                                                                   |                     |
|-------------------------------------------------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank                                       | State Bank of India |
| ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)                           | 5.00                |
| ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months). | 90                  |

(a). जेम की शर्तों के अनुसार ईएमडी छूट के दृष्टान्त बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी / Beneficiary :**

Superintendent  
Kolkata Zonal Office, Department of Revenue, Directorate of Enforcement, Ministry of Finance  
(Debasprasad Das)

**UIN Number NCTGC2415P**

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई के लिए आरक्षित / Reserved for Make In India products**

|                                                             |     |
|-------------------------------------------------------------|-----|
| एमआईआई के लिए आरक्षित / Reserved for Make In India products | Yes |
|-------------------------------------------------------------|-----|

**एमएसई खरीद वरीयता/MSE Purchase Preference**

|                                                                                                                                                                                  |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference                                                                                                                                        | Yes |
| सूक्ष्म और लघु उपमूल्य उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$ | 15  |
| सूक्ष्म और लघु उपमूल्य को खरीद में प्राथमिकता के लिए छिड़ की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference                           | 25  |

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
2. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

5. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM (themselves or through re-seller(s)) should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## Fixed Asset 1

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

### तकनीकी विवरण / Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 18               | 45                              |

#### Fixed Asset 2

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विवरण /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषित/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 4                | 45                              |

#### Fixed Asset 3

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विवरण /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 3               | 45                              |

**Fixed Asset 4**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 60              | 45                              |

**Fixed Asset 5**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 15              | 45                              |

**Fixed Asset 6**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 4               | 45                              |

**Fixed Asset 7**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेक्षित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेक्षित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|-----------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                  | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 1               | 45                              |

**Fixed Asset 8**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेक्षित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेक्षित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|-----------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                  | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 9               | 45                              |

**Fixed Asset 9**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 3               | 45                              |

**Fixed Asset 10**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 18              | 45                              |

**Fixed Asset 11**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 10              | 45                              |

### Fixed Asset 12

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विवरण /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 3               | 45                              |

### Fixed Asset 13

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विवरण /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 25              | 45                              |

**Fixed Asset 14**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 15              | 45                              |

**Fixed Asset 15**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
|------------------------|---------------------------|

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSD Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 4               | 45                              |

#### Fixed Asset 16

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                                        |                           |
|----------------------------------------|---------------------------|
| <a href="#">Specification Document</a> | <a href="#">View File</a> |
| <a href="#">BOQ Detail Document</a>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 7               | 45                              |

#### Fixed Asset 17

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 40              | 45                              |

**Fixed Asset 18**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 4               | 45                              |

**Fixed Asset 19**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिचित/रिपोर्टिंग अधिकारी तथा माल/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परिचित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|--------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1                 | Debaprasad Das                                               | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 2                | 45                              |

**Fixed Asset 20**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिचित/रिपोर्टिंग अधिकारी तथा माल/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परिचित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|--------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1                 | Debaprasad Das                                               | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 38               | 45                              |

**Fixed Asset 21**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश / Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 9               | 45                              |

**Fixed Asset 22**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश / Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 3               | 45                              |

**Fixed Asset 23**

(Minimum 50% Local Content required for qualifying as Class 2 Local Supplier)

**तकनीकी विवरण / Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 14              | 45                              |

**Fixed Asset 24**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण / Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 6               | 45                              |

**Fixed Asset 25**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण / Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 2               | 45                              |

**Fixed Asset 26**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण / Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-------------|-----------------|---------------------------------|
|-------------------|---------------------------------------------------------------|-------------|-----------------|---------------------------------|

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 4                | 45                              |

#### Fixed Asset 27

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विनिर्देश /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषित/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 16               | 45                              |

#### Fixed Asset 28

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विनिर्देश /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 1               | 45                              |

**Fixed Asset 29**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 1               | 45                              |

**Fixed Asset 30**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 2               | 45                              |

**Fixed Asset 31**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 1               | 45                              |

**Fixed Asset 32**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 18              | 45                              |

**Fixed Asset 33**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 18              | 45                              |

**Fixed Asset 34**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेक्षित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेक्षित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|-----------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                  | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 5               | 45                              |

**Fixed Asset 35**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेक्षित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेक्षित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|-----------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                  | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 37              | 45                              |

**Fixed Asset 36**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 4               | 45                              |

**Fixed Asset 37**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 5               | 45                              |

**Fixed Asset 38**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 68              | 45                              |

**Fixed Asset 39**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 2               | 45                              |

**Fixed Asset 40**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
|------------------------|---------------------------|

|                            |                           |
|----------------------------|---------------------------|
| <b>BOQ Detail Document</b> | <a href="#">View File</a> |
|----------------------------|---------------------------|

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 18              | 45                              |

#### Fixed Asset 41

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 1               | 45                              |

#### Fixed Asset 42

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 142             | 45                              |

#### **Fixed Asset 43**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विविधियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 141             | 45                              |

#### **Fixed Asset 44**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विविधियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिचालन/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परिचालन/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | दिलेवारी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|----------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 16              | 45                               |

**Fixed Asset 45**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिचालन/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परिचालन/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | दिलेवारी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|----------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 72              | 45                               |

**Fixed Asset 46**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

# तकनीकी विवरण / Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

## प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Dehaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 12              | 45                              |

## Fixed Asset 47

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

# तकनीकी विवरण / Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

## प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Dehaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 6               | 45                              |

## Fixed Asset 48

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण / Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 3               | 45                              |

**Fixed Asset 49**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण / Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 4               | 45                              |

**Fixed Asset 50**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण / Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 27              | 45                              |

**Fixed Asset 51**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण / Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-------------|-----------------|---------------------------------|
|-------------------|---------------------------------------------------------------|-------------|-----------------|---------------------------------|

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्रा /Quantity | दिलेवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 14               | 45                              |

### Fixed Asset 52

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विवरण /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषित/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्रा /Quantity | दिलेवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 10               | 45                              |

### Fixed Asset 53

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विवरण /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSD Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 8               | 45                              |

**Fixed Asset 54**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 2               | 45                              |

**Fixed Asset 55**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 4               | 45                              |

**Fixed Asset 56**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 4               | 45                              |

**Fixed Asset 57**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 14              | 45                              |

**Fixed Asset 58**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 21              | 45                              |

**Fixed Asset 59**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेक्षित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेक्षित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|-----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                  | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 2               | 45                              |

**Fixed Asset 60**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेक्षित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेक्षित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|-----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                  | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 1               | 45                              |

**Fixed Asset 61**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 7               | 45                              |

**Fixed Asset 62**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 81              | 45                              |

**Fixed Asset 63**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेमिती/रिपोटिंग अफिसरी तथ मत्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेमिती/रिपोटिंग<br>अफिसरी /Consignee<br>Reporting/Officer | पत/Address                                                                                                       | मत्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------|
| 1                 | Dehaprasad Das                                              | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 91             | 45                              |

**Fixed Asset 64**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तक्नीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेमिती/रिपोटिंग अफिसरी तथ मत्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेमिती/रिपोटिंग<br>अफिसरी /Consignee<br>Reporting/Officer | पत/Address                                                                                                       | मत्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------|
| 1                 | Dehaprasad Das                                              | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 1              | 45                              |

**Fixed Asset 65**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तक्नीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
|------------------------|---------------------------|

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 2               | 45                              |

**Fixed Asset 66**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 2               | 45                              |

**Fixed Asset 67**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 2               | 45                              |

#### Fixed Asset 68

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विनिर्देश /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 3               | 45                              |

#### Fixed Asset 69

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विनिर्देश /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 5               | 45                              |

#### Fixed Asset 70

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विनिर्देश /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 4               | 45                              |

#### Fixed Asset 71

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण / Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 3               | 45                              |

**Fixed Asset 72**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण / Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 89              | 45                              |

**Fixed Asset 73**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण / Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 20              | 45                              |

**Fixed Asset 74**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण / Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                      | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064, Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 18              | 45                              |

**Fixed Asset 75**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश / Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 18              | 45                              |

**Fixed Asset 76**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विनिर्देश / Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-------------|-----------------|---------------------------------|
|-------------------|---------------------------------------------------------------|-------------|-----------------|---------------------------------|

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मत्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 6              | 45                              |

#### Fixed Asset 77

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

#### तकनीकी विनिर्देश /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### प्रेषित/रिपोर्टिंग अधिकारी तथा मत्र/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मत्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 2              | 45                              |

#### Fixed Asset 78

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

#### तकनीकी विनिर्देश /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 52              | 45                              |

**Fixed Asset 79**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 56              | 45                              |

**Fixed Asset 80**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 12              | 45                              |

**Fixed Asset 81**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 6               | 45                              |

**Fixed Asset 82**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 1               | 45                              |

**Fixed Asset 83**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 3               | 45                              |

**Fixed Asset 84**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विवरण /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 2               | 45                              |

**Fixed Asset 85**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विविधियाँ /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 70              | 45                              |

**Fixed Asset 86**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विविधियाँ /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषित/रिपोर्टिंग अधिकारी तथा मात्र/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषित/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                     | मात्र /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| 1                 | Debaprasad Das                                                | 700064,Enforcement<br>Directorate, CGO Complex, 3rd<br>MSO Building, 6th Floor, DF<br>Block, Salt Lake Sector 1 | 122             | 45                              |

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**

**1. Generic**

**OPTION CLAUSE:** The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} + \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

**3. Turnover**

**OEM Turn Over Criteria:** The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

**4. Turnover**

**Bidder Turn Over Criteria:** The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

#### **5. Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

#### **6. Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

#### **7. Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

#### **8. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### **9. Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

#### **10. Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

#### **11. Certificates**

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

As per ATC

#### **12. Warranty**

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 15 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

#### **13. Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

Chief Enforcement Officer, ED, Kolkata.  
Account No.  
94547058290  
IFSC Code

IDIB0005147  
Bank Name  
Indian Bank  
Branch address  
Salt Lake

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

#### 14. Financial Criteria

**NET WORTH:** Net Worth of the OEM should be positive as per the last audited financial statement.

#### 15. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

### अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for attached categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from Irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of

this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब यह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने या इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा। (In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**